Abies concolor
Photosynthesis, xylem pressure potential, and leaf conductance of three montane chaparral species in California. **27:627**
Abies fraseri
Initial growth of Fraser fir seedlings at different day/night temperatures. **27:545**
Abies grandis
Relationships of Douglas-fir tussock moth defoliation to site and stand characteristics in northern Idaho. **27:431**
A simulation approach for predicting the effect of Douglas-fir tussock moth defoliation on juvenile tree growth and stand dynamics. **27:685**
Abies lasiocarpa
The relationship of leaf area and foliage biomass to sapwood conducting area in four subalpine forest tree species. **27:477**
abnormal roots
Scanning electron microscopy of shoot and root development in sweetgum callus tissue culture. **27:206**
Acer rubrum
Compartmentalization of discolored and decayed wood in red maple branch stubs. **27:519**
Seed dormancy of red maple in east Tennessee. **27:446**
adaptation
A comparison of habitat type and elevation for seedzone classification of Douglas-fir in western Oregon. **27:49**
adventitious buds
Tissue culture plantlets produced from *Pinus monticola* embryonic materials. **27:299**
afforestation
Outplanting survival and growth of ponderosa pine seedlings inoculated with *Pisolithus tinctorius* in South Dakota. **27:277**
air permeability
Measuring forest soil bulk density using irregular hole, paraffin clod, and air permeability. **27:316**
air temperature
Seventeen-year changes in climatic elements following prescribed burning. **27:33**
alder, European (*see Alnus glutinosa*)
Allegheny forest
Method of mound dating. **27:39**
allocation model
Forest pest management economics—application to the gypsy moth. **27:128**
allometry
Multiplicative regression with lognormal errors. **27:281**
Alnus glutinosa
Seasonal change in foliar nitrogen concentration of *Alnus glutinosa*. **27:239**
altitudinal variation
Seed dormancy of red maple in east Tennessee. **27:446**
American basswood (*see Tilia americana*)
apical dominance
Apical control of diameter growth in white pine branches. **27:95**
apophysis
Role of apophysis and outer scale tissue in pine cone opening. **27:828**
appraisal
Reply to comment on "A technique for estimating timber value based on tree size, management variables and market conditions." **27:763**
aquifer analysis
Determinations of transmissivity of shallow aquifers on high water table forested areas by pumping tests. **27:124**
Arceuthobium pusillum
Development of *Arceuthobium pusillum* on inoculated black spruce. **27:203**
Arctostaphylos patula
Photosynthesis, xylem pressure potential, and leaf conductance of three montane chaparral species in California. **27:627**
aspect-elevation-productivity
An aspect transformation with regard to elevation for site productivity models. **27:483**
aspect transformation
An aspect transformation with regard to elevation for site productivity models. **27:483**
aspen, quaking (*see Populus tremuloides*)
automatic data storage
An electronic caliper with automatic data storage. **27:765**
automatic measurements
Automatic determination of conductance, transpiration, and environmental conditions in forest trees. **27:817**
basal area
Compatible estimates of basal area and basal area growth from remeasured point samples. **27:191**
basal area estimators
Comparison of point and plot sampling basal area estimators. **27:42**
basal area factor
Ensuring an adequate sample at each location in point sampling. **27:567**
basswood, American (*see Tilia americana*)
beetle, southern pine (*see Dendroctonus frontalis*)
beetle-climate relationships
An improved technique to evaluate climate-southern pine beetle relationships. **27:579**
beetle infested stands
Comment by Harry T. Valentine on "Stand and site conditions related to southern pine beetle susceptibility." **27:504**
Behre hyperboloid
Estimating truncated tree volumes with the Behre hyperboloid and existing total volume equations. **27:253**
Betula alleghaniensis
Method of mound dating. **27:39**
bias
Ensuring an adequate sample at each location in point sampling. **27:567**
biased estimators
Applications of ridge regression in forestry. **27:339**
bioelectric technique
Does the oscilloscope technique reveal the dormancy status of Douglas-fir and ponderosa pine? **27:405**
biomass
Energy analyses of forestry practices in oak-pine forests and loblolly pine plantations. **27:365**
Site quality and growth of pinyon-juniper stands in Nevada. **27:593**
biomass estimation
Multiplicative regression with lognormal errors. **27:281**
birch, yellow (*see Betula alleghaniensis*)
Bitterlich estimation
Compatible estimates of basal area and basal area growth from remeasured point samples. **27:191**

Abies concolor
Photosynthesis, xylem pressure potential, and leaf conductance of three montane chaparral species in California. **27:627**
Abies fraseri
Initial growth of Fraser fir seedlings at different day/night temperatures. **27:545**
Abies grandis
Relationships of Douglas-fir tussock moth defoliation to site and stand characteristics in northern Idaho. **27:431**
A simulation approach for predicting the effect of Douglas-fir tussock moth defoliation on juvenile tree growth and stand dynamics. **27:685**
Abies lasiocarpa
The relationship of leaf area and foliage biomass to sapwood conducting area in four subalpine forest tree species. **27:477**
abnormal roots
Scanning electron microscopy of shoot and root development in sweetgum callus tissue culture. **27:206**
Acer rubrum
Compartmentalization of discolored and decayed wood in red maple branch stubs. **27:519**
Seed dormancy of red maple in east Tennessee. **27:446**
adaptation
A comparison of habitat type and elevation for seedzone classification of Douglas-fir in western Oregon. **27:49**
adventitious buds
Tissue culture plantlets produced from *Pinus monticola* embryonic materials. **27:299**
afforestation
Outplanting survival and growth of ponderosa pine seedlings inoculated with *Pisolithus tinctorius* in South Dakota. **27:277**
air permeability
Measuring forest soil bulk density using irregular hole, paraffin clod, and air permeability. **27:316**
air temperature
Seventeen-year changes in climatic elements following prescribed burning. **27:33**
alder, European (*see Alnus glutinosa*)
Allegheny forest
Method of mound dating. **27:39**
allocation model
Forest pest management economics—application to the gypsy moth. **27:128**
allometry
Multiplicative regression with lognormal errors. **27:281**
Alnus glutinosa
Seasonal change in foliar nitrogen concentration of *Alnus glutinosa*. **27:239**
altitudinal variation
Seed dormancy of red maple in east Tennessee. **27:446**
American basswood (*see Tilia americana*)
apical dominance
Apical control of diameter growth in white pine branches. **27:95**
apophysis
Role of apophysis and outer scale tissue in pine cone opening. **27:828**
appraisal
Reply to comment on "A technique for estimating timber value based on tree size, management variables and market conditions." **27:763**
aquifer analysis
Determinations of transmissivity of shallow aquifers on high water table forested areas by pumping tests. **27:124**
Arceuthobium pusillum
Development of *Arceuthobium pusillum* on inoculated black spruce. **27:203**
Arctostaphylos patula
Photosynthesis, xylem pressure potential, and leaf conductance of three montane chaparral species in California. **27:627**
aspect-elevation-productivity
An aspect transformation with regard to elevation for site productivity models. **27:483**
aspect transformation
An aspect transformation with regard to elevation for site productivity models. **27:483**
aspen, quaking (*see Populus tremuloides*)
automatic data storage
An electronic caliper with automatic data storage. **27:765**
automatic measurements
Automatic determination of conductance, transpiration, and environmental conditions in forest trees. **27:817**
basal area
Compatible estimates of basal area and basal area growth from remeasured point samples. **27:191**
basal area estimators
Comparison of point and plot sampling basal area estimators. **27:42**
basal area factor
Ensuring an adequate sample at each location in point sampling. **27:567**
basswood, American (*see Tilia americana*)
beetle, southern pine (*see Dendroctonus frontalis*)
beetle-climate relationships
An improved technique to evaluate climate-southern pine beetle relationships. **27:579**
beetle infested stands
Comment by Harry T. Valentine on "Stand and site conditions related to southern pine beetle susceptibility." **27:504**
Behre hyperboloid
Estimating truncated tree volumes with the Behre hyperboloid and existing total volume equations. **27:253**
Betula alleghaniensis
Method of mound dating. **27:39**
bias
Ensuring an adequate sample at each location in point sampling. **27:567**
biased estimators
Applications of ridge regression in forestry. **27:339**
bioelectric technique
Does the oscilloscope technique reveal the dormancy status of Douglas-fir and ponderosa pine? **27:405**
biomass
Energy analyses of forestry practices in oak-pine forests and loblolly pine plantations. **27:365**
Site quality and growth of pinyon-juniper stands in Nevada. **27:593**
biomass estimation
Multiplicative regression with lognormal errors. **27:281**
birch, yellow (*see Betula alleghaniensis*)
Bitterlich estimation
Compatible estimates of basal area and basal area growth from remeasured point samples. **27:191**

black oak (*see Quercus velutina*)
black spruce (*see Picea mariana*)
black stain root disease
Pathogenicity of *Verticicladiella penicillata* (Grosm.) Kendrick to northern Idaho conifers. **27:103**
black walnut (*see Juglans nigra*)
blackgum (*see Nyssa sylvatica*)
blister rust (*see Cronartium ribicola*)
branch diameter growth
Apical control of diameter growth in white pine branches. **27:95**
branch stubs
Compartmentalization of discolored and decayed wood in red maple branch stubs. **27:519**
bud production
Tissue culture plantlets produced from *Pinus monticola* embryonic materials. **27:299**
cable thinning
Simulating cable thinning in young-growth stands. **27:745**
calcium
Nutrient translocation in the outer canopy and understory of an eastern deciduous forest. **27:505**
caliper electronic memory
An electronic caliper with automatic data storage. **27:765**
callus tissue culture
Scanning electron microscopy of shoot and root development in sweetgum callus tissue culture. **27:206**
canker incidence
Factors related to incidence of *Hypoxylon* cankers in aspen and survival of cankered trees. **27:461**
canopy leaf nutrients
Nutrient translocation in the outer canopy and understory of an eastern deciduous forest. **27:505**
Capital Asset Pricing Model
An application of capital asset pricing to the spot market for softwood logs in Oregon. **27:215**
carbon dioxide concentration
Photosynthesis and photorespiration in Douglas-fir as influenced by irradiance, CO_2 concentration, and temperature. **27:641**
carbon dioxide exchange
Carbon dioxide exchange of ponderosa pine as affected by sodium chloride and polyethylene glycol. **27:139**
Photosynthesis, xylem pressure potential, and leaf conductance of three montane chaparral species in California. **27:627**
carbohydrates
Annual variations in soluble sugars, starch, and total food resources in *Eucalyptus obliqua* roots. **27:449**
Growth, ectomycorrhizal development, and root soluble carbohydrates of black oak seedlings fertilized by two methods. **27:617**
case hardening
Role of apophysis and outer scale tissue in pine cone opening. **27:828**
Ceanothus velutinus
Photosynthesis, xylem pressure potential, and leaf conductance of three montane chaparral species in California. **27:627**
Cenococcum geophilum
Inoculation of containerized Douglas-fir with the ectomycorrhizal fungus *Cenococcum geophilum*. **27:27**
chaparral site
Photosynthesis, xylem pressure potential, and leaf conductance of three montane chaparral species in California. **27:627**
chilling requirements
Seed dormancy of red maple in east Tennessee. **27:446**
chi-square analysis
Vertical root distribution of American basswood in sanitary landfill soil. **27:725**
Christmas trees
Initial growth of Fraser fir seedlings at different day/night temperatures. **27:545**
circular plot sampling
Comparison of fixed-radius circular plot sampling with simple random sampling. **27:245**
clearcutting soil effect
Nitrogen mineralization and nitrification potentials following clearcutting in the Hoosier National Forest, Indiana. **27:781**
climate-beetle relationships
An improved technique to evaluate climate-southern pine beetle relationships. **27:579**
climatic element changes
Seventeen-year changes in climatic elements following prescribed burning. **27:33**
climatic extremes
An improved technique to evaluate climate-southern pine beetle relationships. **27:579**
climatology
Moisture content calculations for 1000-hour timelag fuels. **27:19**
clone production efficiency
Tissue culture plantlets produced from *Pinus monticola* embryonic materials. **27:299**
clones
Variation in seed yield of white oak. **27:377**
cluster sampling
Ensuring an adequate sample at each location in point sampling. **27:567**
compacted soil
Root penetration of Douglas-fir seedlings into compacted soil. **27:660**
comparative static analysis
Determination of the optimal growing stock and cutting cycle for an uneven-aged stand. **27:739**
compatible estimation
Compatible estimates of basal area and basal area growth from remeasured point samples. **27:191**
compatible taper curve
Estimating truncated tree volumes with the Behre hyperboloid and existing total volume equations. **27:253**
computer analysis
Logging equipment replacement: a quantitative approach. **27:2**
computer modeling
Simulating cable thinning in young-growth stands. **27:745**
computer simulation
Nutrient translocation in the outer canopy and understory of an eastern deciduous forest. **27:505**
conductance
Automatic determination of conductance, transpiration, and environmental conditions in forest trees. **27:817**
cone age
The relationship of lodgepole pine cone age and seed extractability. **27:62**
cone opening
Role of apophysis and outer scale tissue in pine cone opening. **27:828**
cone respiration
The seasonal course of respiration and photosynthesis in strobili of Scots pine. **27:267**
conifer culture
Tissue culture plantlets produced from *Pinus monticola* embryonic materials. **27:299**
conifer infection
Pathogenicity of *Verticicladiella penicillata* (Grosm.) Kendrick to northern Idaho conifers. **27:103**

conifer mortality
Relation of starch content to conifer mortality and growth loss after defoliation by the Douglas-fir tussock moth. **27:244**
conifer seedlings
Does the oscilloscope technique reveal the dormancy status of Douglas-fir and ponderosa pine? **27:405**
containerized seedlings
Initial growth of Fraser fir seedlings at different day/night temperatures. **27:545**
controlled environment
Initial growth of Fraser fir seedlings at different day/night temperatures. **27:545**
conversion returns
Reply to comment on "A technique for estimating timber value based on tree size, management variables and market conditions." **27:763**
cortical resin canal occlusion
Occluded resin canals associated with egg cavities made by shoot infesting *Pissodes*. **27:297**
cost-effective wilderness allocation
A method for designing cost-effective wilderness allocation alternatives. **27:551**
cost ratio
Optimum allocation in stratified sampling of forest populations on successive occasions. **27:730**
Cronartium ribicola
Genetic interaction of *Cronartium ribicola* and *Ribes hudsonianum* var. *petiolare*. **27:758**
Cronartium quercuum* f. sp. *fusiforme
Fungicides influence growth and development of specific ectomycorrhizae on loblolly pine seedlings. **27:167**
cutting cycle
Determination of the optimal growing stock and cutting cycle for an uneven-aged stand. **27:739**
dark respiration
Photosynthesis and photorespiration in Douglas-fir as influenced by irradiance, CO_2 concentration, and temperature. **27:641**
data storage
An electronic caliper with automatic data storage. **27:765**
decayed wood
Compartmentalization of discolored and decayed wood in red maple branch stubs. **27:519**
deciduous tree leaf nutrients
Nutrient translocation in the outer canopy and understory of an eastern deciduous forest. **27:505**
decomposition
Quantity, decomposition, and nutrient dynamics of aspen litterfall in Utah. **27:381**
decomposition products
Organic reserves: importance to ectomycorrhizae in forest soils of western Montana. **27:442**
defoliation
Factors related to incidence of *Hypoxylon* cankers in aspen and survival of cankered trees. **27:461**
Relationships of Douglas-fir tussock moth defoliation to site and stand characteristics in northern Idaho. **27:431**
A simulation approach for predicting the effect of Douglas-fir tussock moth defoliation on juvenile tree growth and stand dynamics. **27:685**
defoliation effect
Relation of starch content to conifer mortality and growth loss after defoliation by the Douglas-fir tussock moth. **29:224**
Dendroctonus frontalis
Comment by Harry T. Valentine on "Stand and site conditions related to southern pine beetle susceptibility." **27:504**
An improved technique to evaluate climate-southern pine beetle relationships. **27:579**
Patterns of southern pine beetle (*Dendroctonus frontalis* Zimm.) infestation enlargement. **27:837**
A severity model for southern pine beetle infestations. **27:290**
density-diameter distribution
Population structure of forests over a large area. **27:701**
diameter increment
Simulation of diameter growth and mortality in regrowth eucalypt forest of southern Tasmania. **27:603**
differentiation
Scanning electron microscopy of shoot and root development in sweetgum callus tissue culture. **27:206**
diffusion
Nutrient translocation in the outer canopy and understory of an eastern deciduous forest. **27:505**
direct sowing
Regeneration of mamane: effects of seedcoat treatment and sowing depth. **27:771**
discolored wood
Compartmentalization of discolored and decayed wood in red maple branch stubs. **27:519**
discrete-convex programming
Logging equipment replacement: a quantitative approach. **27:2**
discriminant analysis
Comment by Harry T. Valentine on "Stand and site conditions related to southern pine beetle susceptibility." **27:504**
disease in conifers
Pathogenicity of *Verticicladiella penicillata* (Grosm.) Kendrick to northern Idaho conifers. **27:103**
dormancy
Does the oscilloscope technique reveal the dormancy status of Douglas-fir and ponderosa pine? **27:405**
Seed dormancy of red maple in east Tennessee. **27:446**
Douglas-fir (*see* ***Pseudotsuga menziesii***)
Douglas-fir tussock moth (*see* ***Orgyia pseudotsugata***)
drainage solutions
Effects of sludge disposal on drainage solutions of two forest soils. **27:792**
dwarf mistletoe (*see* ***Arceuthobium pusillum***)
early selection
Xylem ethylene production in five black walnut families in the early stages of heartwood formation. **27:537**
eccentric growth
Apical control of diameter growth in white pine branches. **27:95**
economic harvest optimization
A comprehensive examination of economic harvest optimization simulation methods. **27:523**
ectomycorrhizae
Colonization and infection of primary roots of Douglas-fir seedlings by the ectomycorrhizal fungus *Laccaria laccata*. **27:111**
Fungicides influence growth and development of specific ectomycorrhizae on loblolly pine seedlings. **27:167**
Growth, ectomycorrhizal development, and root soluble carbohydrates of black oak seedlings fertilized by two methods. **27:617**
Inoculation of containerized Douglas-fir with the ectomycorrhizal fungus *Cenococcum geophilum*. **27:27**
Organic reserves: importance to ectomycorrhizae in forest soils of western Montana. **27:442**
egg cavity effect
Occluded resin canals associated with egg cavities made by shoot infesting *Pissodes*. **27:297**
electrical sensing
A micrometer for continuous measurements of shoot elongation. **27:574**
electron microscopy

Colonization and infection of primary roots of Douglas-fir seedlings by the ectomycorrhizal fungus *Laccaria laccata*. **27:111**

electronic caliper
An electronic caliper with automatic data storage. **27:765**

electronic micrometer
A micrometer for continuous measurements of shoot elongation. **27:574**

elevation-aspect-productivity
An aspect transformation with regard to elevation for site productivity models. **27:483**

elongation growth
Shoot and needle growth in *Pinus sylvestris* as related to temperature in Northern Fennoscandia. **27:423**

embryonic material
Tissue culture plantlets produced from *Pinus monticola* embryonic materials. **27:299**

endomycorrhizae
Effects of three vesicular-arbuscular mycorrhizal fungi on sweetgum seedlings from nine mother trees. **27:327**
Response of vesicular-arbuscular endomycorrhizal sweetgum seedlings to three nitrogen fertilizers. **27:413**

energy analysis
Energy analyses of forestry practices in oak-pine forests and loblolly pine plantations. **27:365**

energy reserve
Relation of starch content to conifer mortality and growth loss after defoliation by the Douglas-fir tussock moth. **27:224**

Engelmann spruce (*see* ***Picea engelmannii***)

environmental conditions
Automatic determination of conductance, transpiration, and environmental conditions in forest trees. **27:817**

environmental interactions
A micrometer for continuous measurements of shoot elongation. **27:574**

esthetic resource measurement
Progress in predicting the perceived scenic beauty of forest landscapes. **27:71**

esthetics
Land use designations affect perception of scenic beauty in forest landscapes. **27:392**

ethylene production
Xylem ethylene production in five black walnut families in the early stages of heartwood formation. **27:537**

***Eucalyptus* spp.**
Simulation of diameter growth and mortality in regrowth eucalypt forest of southern Tasmania. **27:603**

Eucalyptus obliqua
Annual variations in soluble sugars, starch, and total food resources in *Eucalyptus obliqua* roots. **27:449**

European alder (*see* ***Alnus glutinosa***)

even-aged management
Segregating land values from sales of forested properties under even-aged management. **27:305**

experimental design
Root length in young hybrid *Populus* plantations: its implication for border width of research plots. **27:808**

fertilizer application
Growth, ectomycorrhizal development, and root soluble carbohydrates of black oak seedlings fertilized by two methods. **27:617**

fertilizer treatment
Slash pine growth and response to fertilizer after application of pesticides to the planting site. **27:487**

fiber length
Semiautomated recording of wood cell dimensions. **27:336**

fir, Fraser (*see* ***Abies fraseri***)

fir, grand (*see* ***Abies grandis***)

fir, subalpine (*see* ***Abies lasiocarpa***)

fir, white (*see* ***Abies concolor***)

fire behavior modeling
Bulk densities of nonuniform surface fuels and their application to fire modeling. **27:667**

fire effect
Seventeen-year changes in climatic elements following prescribed burning. **27:33**

fire management
A linear programming model for wildland fuel management planning. **27:81**

flowering
Variation in seed yield of white oak. **27:377**

foliage analysis
Slash pine growth and response to fertilizer after application of pesticides to the planting site. **27:487**

foliage biomass
Relation of starch content to conifer mortality and growth loss after defoliation by the Douglas-fir tussock moth. **27:224**

foliage biomass-sapwood relationship
The relationship of leaf area and foliage biomass to sapwood conducting area in four subalpine forest tree species. **27:477**

foliar fertilization
Growth, ectomycorrhizal development, and root soluble carbohydrates of black oak seedlings fertilized by two methods. **27:617**

foliar nitrogen
Seasonal change in foliar nitrogen concentration of *Alnus glutinosa*. **27:239**

food resources
Annual variations in soluble sugars, starch, and total food resources in *Eucalyptus obliqua* roots. **27:449**

forest economics
Implications of goal programming in forest resource allocation: some comment. **27:454**

forest evaporation
Summer streamflow and water level in a midlatitude forested swamp. **27:177**

forest fire
Organic reserves: importance to ectomycorrhizae in forest soils of western Montana. **27:442**

forest fire hazard
Moisture content calculations for 1000-hour timelag fuels. **27:19**

forest fuel
Bulk densities of nonuniform surface fuels and their application to fire modeling. **27:667**

forest fuel moisture
Moisture content calculations for 1000-hour timelag fuels. **27:19**

forest fuels
Moisture content calculations for 1000-hour timelag fuels. **27:19**

forest inventory
Optimum allocation in stratified sampling of forest populations on successive occasions. **27:730**
A separable goal programming approach to optimizing multivariate sampling designs for forest inventory. **27:147**

forest land valuation
Segregating land values from sales of forested properties under even-aged management. **27:305**

forest landscapes
Land use designations affect perception of scenic beauty in forest landscapes. **27:392**
Progress in predicting the perceived scenic beauty of forest landscapes. **27:71**

forest nurseries
Effects of three vesicular-arbuscular mycorrhizal

fungi on sweetgum seedlings from nine mother trees. 27:327
forest pest management economics
Forest pest management economics—application to the gypsy moth. 27:128
forest protection
Relationships of Douglas-fir tussock moth defoliation to site and stand characteristics in northern Idaho. 27:431
forest resource allocation
Implications of goal programming in forest resource allocation: some comments. 27:454
forest simulation
A comprehensive examination of economic harvest optimization simulation methods. 27:523
Simulation of diameter growth and mortality in regrowth eucalypt forest of southern Tasmania. 27:603
forest soils
Effects of sludge disposal on drainage solutions of two forest soils. 27:792
Organic reserves: importance to ectomycorrhizae in forest soils of western Montana. 27:442
forest spatial structure
Patterns of southern pine beetle (*Dendroctonus frontalis* Zimm.) infestation enlargement. 27:837
forest structure
Population structure of forests over a large area. 27:701
forest value
Determination of the optimal growing stock and cutting cycle for an uneven-aged stand. 27:739
forested property sales
Segregating land values from sales of forested properties under even-aged management. 27:305
forested swamp
Summer streamflow and water level in a midlatitude forested swamp. 27:177
forestry practices
Energy analyses of forestry practices in oak-pine forests and loblolly pine plantations. 27:365
Fraser fir (*see* ***Abies fraseri***)
fuel bulk density
Bulk densities of nonuniform surface fuels and their application to fire modeling. 27:667
fuel continuity
Bulk densities of nonuniform surface fuels and their application to fire modeling. 27:667
fuel equivalents
Energy analyses of forestry practices in oak-pine forests and loblolly pine plantations. 27:365
fuel management
A linear programming model for wildland fuel management planning. 27:81
fuel moisture
Moisture content calculations for 1000-hour timelag fuels. 27:19
fuelbreak construction
A linear programming model for wildland fuel management planning. 27:81
fuels
Organic reserves: importance to ectomycorrhizae in forest soils of western Montana. 27:442
fungal isolate variation
Inoculation of containerized Douglas-fir with the ectomycorrhizal fungus *Cenococcum geophilum*. 27:27
fungal symbiont
Response of vesicular-arbuscular endomycorrhizal sweetgum seedlings to three nitrogen fertilizers. 27:413
fungi
Organic reserves: importance to ectomycorrhizae in forest soils of western Montana. 27:442
fungi symbionts
Effects of three vesicular-arbuscular mycorrhizal fungi on sweetgum seedlings from nine mother trees. 27:327
fungicides
Fungicides influence growth and development of specific ectomycorrhizae on loblolly pine seedlings. 27:167
fungicide-nontarget organisms
Fungicides influence growth and development of specific ectomycorrhizae on loblolly pine seedlings. 27:167
gas exchange
The seasonal course of respiration and photosynthesis in strobili of Scots pine. 27:267
gas exchange system
Automatic determination of conductance, transpiration, and environmental conditions in forest trees. 27:817
genecology
A comparison of habitat type and elevation for seedzone classification of Douglas-fir in western Oregon. 27:49
gene-for-gene
Genetic interaction of *Cronartium ribicola* and *Ribes hudsonianum* var. *petiolare*. 27:758
general resistance
Genetic interaction of *Cronartium ribicola* and *Ribes hudsonianum* var. *petiolare*. 27:758
generalized least squares
Remarks on *Generalized least squares estimation of yield functions* by I. S. Ferguson and J. W. Leech. 27:233
generalized least squares estimation
Reply to remarks by A. W. Davis and P. W. West on "Generalized least squares estimation of yield functions." 27:589
generalized least squares regression
Simulation of diameter growth and mortality in regrowth eucalypt forest of southern Tasmania. 27:603
genetic interaction
Genetic interaction of *Cronartium ribicola* and *Ribes hudsonianum* var. *petiolare*. 27:758
genetic variation
A comparison of habitat type and elevation for seedzone classification of Douglas-fir in western Oregon. 27:49
genotype
Xylem ethylene production in five black walnut families in the early stages of heartwood formation. 27:537
germination temperature
Seed dormancy of red maple in east Tennessee. 27:446
gibberellic acid
Shortening the grass stage of longleaf pine with plant growth regulators. 27:400
girdling
Apical control of diameter growth in white pine branches. 27:95
***Glomus* spp.**
Effects of three vesicular-arbuscular mycorrhizal fungi on sweetgum seedlings from nine mother trees. 27:327
Glomus etunicatus
Response of vesicular-arbuscular endomycorrhizal sweetgum seedlings to three nitrogen fertilizers. 27:413
goal programming
Implications of goal programming in forest resource allocation: some comments. 27:454
A separable goal programming approach to optimizing multivariate sampling designs for forest inventory. 27:147
grand fir (*see* ***Abies grandis***)
grass stage longleaf

Shortening the grass stage of longleaf pine with plant growth regulators. 27:400
groundwater
Determinations of transmissivity of shallow aquifers on high water table forested areas by pumping tests. 27:124
Effects of sludge disposal on drainage solutions of two forest soils. 27:792
growth
Outplanting survival and growth of ponderosa pine seedlings inoculated with *Pisolithus tinctorius* in South Dakota. 27:277
growth analysis
Consistent height-growth and growth-rate estimates for remeasured plots. 27:711
growth and yield
A simulation approach for predicting the effect of Douglas-fir tussock moth defoliation on juvenile tree growth and stand dynamics. 27:685
growth estimation
Compatible estimates of basal area and basal area growth from remeasured point samples. 27:191
growth intercept technique
A modified growth intercept method for predicting site index in young white pine stands. 27:162
growth loss
Relation of starch content to conifer mortality and growth loss after defoliation by the Douglas-fir tussock moth. 27:224
growth measurements
A micrometer for continuous measurements of shoot elongation. 27:574
growth-rate estimates
Consistent height-growth and growth-rate estimates for remeasured plots. 27:711
growth regulators
Shortening the grass stage of longleaf pine with plant growth regulators. 27:400
growth response
Slash pine growth and response to fertilizer after application of pesticides to the planting site. 27:487
growth-temperature relationship
Initial growth of Fraser fir seedlings at different day/night temperatures. 27:545
gypsy moth control
Forest pest management economics—application to the gypsy moth. 27:128
habitat type
A comparison of habitat type and elevation for seed-zone classification of Douglas-fir in western Oregon. 27:49
hardwood litter distribution
Distribution of net litter inputs with respect to slope position and wind direction. 27:651
Hawaii
Regeneration of mamane: effects of seedcoat treatment and sowing depth. 27:771
hazard rating
Shoot and needle growth in *Pinus sylvestris* as related to temperature in Northern Fennoscandia. 27:423
heartwood
Xylem ethylene production in five black walnut families in the early stages of heartwood formation. 27:537
height growth
Shortening the grass stage of longleaf pine with plant growth regulators. 27:400
height-growth estimates
Consistent height-growth and growth-rate estimates for remeasured plots. 27:711
height measurements
Pocket calculator program for the one-shot method of tree height measurement on permanent plots. 27:815
host-insect interaction
Shoot and needle growth in *Pinus sylvestris* as related to temperature in Northern Fennoscandia. 27:423
humidity
Seventeen-year changes in climatic elements following prescribed burning. 27:33
hybrid poplar plantations
Root length in young hybrid *Populus* plantations: its implication for border width of research plots. 27:808
hydraulic conductivity
Determinations of transmissivity of shallow aquifers on high water table forested areas by pumping tests. 27:124
hydrology
Summer streamflow and water level in a midlatitude forested swamp. 27:177
Hypoxylon mammatum
Factors related to incidence of *Hypoxylon* cankers in aspen and survival of cankered trees. 27:461
incubations
Nitrogen mineralization and nitrification potentials following clearcutting in the Hoosier National Forest, Indiana. 27:781
independent tests combined
Procedures for statistical validation of stochastic simulation models. 27:349
inoculation
Inoculation of containerized Douglas-fir with the ectomycorrhizal fungus *Cenococcum geophilum*. 27:27
insect-host interaction
Relationships of Douglas-fir tussock moth defoliation to site and stand characteristics in northern Idaho. 27:431
insect infestation model
A severity model for southern pine beetle infestations. 27:290
internal storage
Nutrient translocation in the outer canopy and understory of an eastern deciduous forest. 27:505
inventory electronic caliper
An electronic caliper with automatic data storage. 27:765
irradiance
Photosynthesis and photorespiration in Douglas-fir as influenced by irradiance, CO_2 concentration, and temperature. 27:641
irregular-hole method
Measuring forest soil bulk density using irregular hole, paraffin clod, and air permeability. 27:316
isolation strips
Root length in young hybrid *Populus* plantations: its implication for border width of research plots. 27:808
jack pine (*see* ***Pinus banksiana***)
Juglans nigra
Xylem ethylene production in five black walnut families in the early stages of heartwood formation. 27:537
juniper, Utah (*see* ***Juniperus osteosperma***)
Juniperus osteosperma
Site quality and growth of pinyon-juniper stands in Nevada. 27:593
Laccaria laccata
Colonization and infection of primary roots of Douglas-fir seedlings by the ectomycorrhizal fungus *Laccaria laccata*. 27:111
land expectation value
Determination of the optimal growing stock and cutting cycle for an uneven-aged stand. 27:739
land management planning
Implications of goal programming in forest resource allocation: some comments. 27:454
land use designations

Land use designations affect perception of scenic beauty in forest landscapes. **27:392**
land-use planning
A method for designing cost-effective wilderness allocation alternatives. **27:551**
land valuation
Applications of ridge regression in forestry. **27:339**
land values
Segregating land values from sales of forested properties under even-aged management. **27:305**
landfill root penetration
Vertical root distribution of American basswood in sanitary landfill soil. **27:725**
landfill vegetation
The adaptability of 19 woody species in vegetating a former sanitary landfill. **27:13**
landscapes
Progress in predicting the perceived scenic beauty of forest landscapes. **27:71**
landscape management
Land use designations affect perception of scenic beauty in forest landscapes. **27:392**
latent period
Genetic interaction of *Cronartium ribicola* and *Ribes hudsonianum* var. *petiolare*. **27:758**
leachates
Effects of sludge disposal on drainage solutions of two forest soils. **27:792**
leaching
Nutrient translocation in the outer canopy and understory of an eastern deciduous forest. **27:505**
leaf area-sapwood relationship
The relationship of leaf area and foliage biomass to sapwood conducting area in four subalpine forest tree species. **27:477**
leaf conductance
Photosynthesis, xylem pressure potential, and leaf conductance of three montane chaparral species in California. **27:627**
leaf formation
Scanning electron microscopy of shoot and root development in sweetgum callus tissue culture. **27:206**
leaf nitrogen concentration
Seasonal change in foliar nitrogen concentration of *Alnus glutinosa*. **27:239**
leaf nutrients
Nutrient translocation in the outer canopy and understory of an eastern deciduous forest. **27:505**
leaf senescence
Seasonal change in foliar nitrogen concentration of *Alnus glutinosa*. **27:239**
least-cost alternatives
A method for designing cost-effective wilderness allocation alternatives. **27:551**
least-cost analysis
Forest pest management economics—application to the gypsy moth. **27:128**
least squares estimation
Reply to remarks by A. W. Davis and P. W. West on "Generalized least squares estimation of yield functions." **27:589**
life cycle
Development of *Arceuthobium pusillum* on inoculated black spruce. **27:203**
life table
Factors related to incidence of *Hypoxylon* cankers in aspen and survival of cankered trees. **27:461**
linear programming
Implications of goal programming in forest resource allocation: some comments. **27:454**
A method for designing cost-effective wilderness allocation alternatives. **27:551**
linear programming model
A linear programming model for wildland fuel management planning. **27:81**
Linear Variable Differential Transformer
A micrometer for continuous measurements of shoot elongation. **27:574**
Liquidambar styraciflua
Effects of three vesicular-arbuscular mycorrhizal fungi on sweetgum seedlings from nine mother trees. **27:327**
Response of vesicular-arbuscular endomycorrhizal sweetgum seedlings to three nitrogen fertilizers. **27:413**
Scanning electron microscopy of shoot and root development in sweetgum callus tissue culture. **27:206**
litter input distribution
Distribution of net litter inputs with respect to slope position and wind direction. **27:651**
litterfall
Quantity, decomposition, and nutrient dynamics of aspen litterfall in Utah. **27:381**
loblolly pine (*see* ***Pinus taeda***)
loblolly pine plantation
Energy analyses of forestry practices in oak-pine forests and loblolly pine plantations. **27:365**
lodgepole pine (*see* ***Pinus contorta***)
log market model
An application of capital asset pricing to the spot market for softwood logs in Oregon. **27:215**
logarithmic transformation
Multiplicative regression with lognormal errors. **27:281**
logging equipment replacement
Logging equipment replacement: a quantitative approach. **27:2**
lognormal distribution
Multiplicative regression with lognormal errors. **27:281**
lognormal errors
Multiplicative regression with lognormal errors. **27:281**
longleaf pine (*see* ***Pinus palustris***)
Lymantris dispar
Forest pest management economics—application to the gypsy moth. **27:128**
magnesium
Nutrient translocation in the outer canopy and understory of an eastern deciduous forest. **27:505**
Malacosoma disstria
Factors related to incidence of *Hypoxylon* cankers in aspen and survival of cankered trees. **27:461**
mamane (*see* ***Sophora chrysophylla***)
manzanita, greenleaf (*see* ***Arctostaphylos patula***)
maple, red (*see* ***Acer rubrum***)
market log returns
An application of capital asset pricing to the spot market for softwood logs in Oregon. **27:215**
mass flow
Nutrient translocation in the outer canopy and understory of an eastern deciduous forest. **27:505**
mathematical model
Site quality and growth of pinyon-juniper stands in Nevada. **27:593**
mathematical models
Remarks on *Generalized least squares estimation of yield functions* by I. S. Ferguson and J. W. Leech. **27:233**
Reply to remarks by A. W. Davis and P. W. West on "Generalized least squares estimation of yield functions." **27:589**
Simulation of diameter growth and mortality in regrowth eucalypt forest of southern Tasmania. **27:603**
mathematical programming
Logging equipment replacement: a quantitative approach. **27:2**

measuring soil bulk density
Measuring forest soil bulk density using irregular hole, paraffin clod, and air permeability. **27:316**
measuring wood cell dimensions
Semiautomated recording of wood cell dimensions. **27:336**
mensuration
Estimating truncated tree volumes with the Behre hyperboloid and existing total volume equations. **27:253**
merchantable volume
Estimating truncated tree volumes with the Behre hyperboloid and existing total volume equations. **27:253**
methyl bromide
Slash pine growth and response to fertilizer after application of pesticides to the planting site. **27:487**
microclimate
Seventeen-year changes in climatic elements following prescribed burning. **27:33**
microlysimeter
Nitrogen mineralization and nitrification potentials following clearcutting in the Hoosier National Forest, Indiana. **27:781**
microorganisms
Colonization and infection of primary roots of Douglas-fir seedlings by the ectomycorrhizal fungus *Laccaria laccata*. **27:111**
microscopy
Scanning electron microscopy of shoot and root development in sweetgum callus tissue culture. **27:206**
midlatitude forested swamp
Summer streamflow and water level in a midlatitude forested swamp. **27:177**
mistletoe, dwarf (*see* ***Arceuthobium pusillum***)
mistletoe development
Development of *Arceuthobium pusillum* on inoculated black spruce. **27:203**
model development
Applications of ridge regression in forestry. **27:339**
model validation
Procedures for statistical validation of stochastic simulation models. **27:349**
models
Energy analyses of forestry practices in oak-pine forests and loblolly pine plantations. **27:365**
moisture content
Moisture content calculations for 1000-hour timelag fuels. **27:19**
moisture deficit
An improved technique to evaluate climate-southern pine beetle relationships. **27:579**
moisture surplus
An improved technique to evaluate climate-southern pine beetle relationships. **27:579**
monoterpenes
Role of apophysis and outer scale tissue in pine cone opening. **27:828**
mortality
Factors related to incidence of *Hypoxylon* cankers in aspen and survival of cankered trees. **27:461**
A severity model for southern pine beetle infestations. **27:290**
Simulation of diameter growth and mortality in regrowth eucalypt forest of southern Tasmania. **27:603**
moth, Douglas-fir tussock (*see* ***Orgyia pseudotsugata***)
mound dating
Method of mound dating. **27:39**
multicollinearity
Applications of ridge regression in forestry. **27:339**
multiple criteria
A separable goal programming approach to optimizing multivariate sampling designs for forest inventory. **27:147**
multiple linear regression
Applications of ridge regression in forestry. **27:339**
multiplicative regression
Multiplicative regression with lognormal errors. **27:281**
mycorrhizae
Effects of three vesicular-arbuscular mycorrhizal fungi on sweetgum seedlings from nine mother trees. **27:327**
Fungicides influence growth and development of specific ectomycorrhizae on loblolly pine seedlings. **27:167**
Inoculation of containerized Douglas-fir with the ectomycorrhizal fungus *Cenococcum geophilum*. **27:27**
Outplanting survival and growth of ponderosa pine seedlings inoculated with *Pisolithus tinctorius* in South Dakota. **27:277**
Response of vesicular-arbuscular endomycorrhizal sweetgum seedlings to three nitrogen fertilizers. **27:413**
needle growth
Shoot and needle growth in *Pinus sylvestris* as related to temperature in Northern Fennoscandia. **27:423**
nematicide application
Slash pine growth and response to fertilizer after application of pesticides to the planting site. **27:487**
nematodes
Slash pine growth and response to fertilizer after application of pesticides to the planting site. **27:487**
nitrapyrin
Nitrogen mineralization and nitrification potentials following clearcutting in the Hoosier National Forest, Indiana. **27:781**
nitrate
Effects of sludge disposal on drainage solutions of two forest soils. **27:792**
nitrification potential
Nitrogen mineralization and nitrification potentials following clearcutting in the Hoosier National Forest, Indiana. **27:781**
nitrogen
Nutrient translocation in the outer canopy and understory of an eastern deciduous forest. **27:505**
nitrogen availability
Nitrogen mineralization and nitrification potentials following clearcutting in the Hoosier National Forest, Indiana. **27:781**
^{6}N-benzyladenine
Shortening the grass stage of longleaf pine with plant growth regulators. **27:400**
nitrogen concentration
Seasonal change in foliar nitrogen concentration of *Alnus glutinosa*. **27:239**
nitrogen mineralization
Nitrogen mineralization and nitrification potentials following clearcutting in the Hoosier National Forest, Indiana. **27:781**
nitrogen treatment
Response of vesicular-arbuscular endomycorrhizal sweetgum seedlings to three nitrogen fertilizers. **27:413**
nonlinear programming
Logging equipment replacement: a quantitative approach. **27:2**
nonparametric tests
Procedures for statistical validation of stochastic simulation models. **27:349**
northern hardwoods
Distribution of net litter inputs with respect to slope position and wind direction. **27:651**
nursery management

Does the oscilloscope technique reveal the dormancy status of Douglas-fir and ponderosa pine? **27:405**
nutrient concentration
Quantity, decomposition, and nutrient dynamics of aspen litterfall in Utah. **27:381**
nutrient cycling
Distribution of net litter inputs with respect to slope position and wind direction. **27:651**
Quantity, decomposition, and nutrient dynamics of aspen litterfall in Utah. **27:381**
nutrient release
Quantity, decomposition, and nutrient dynamics of aspen litterfall in Utah. **27:381**
nutrient translocation
Nutrient translocation in the outer canopy and understory of an eastern deciduous forest. **27:505**
Nyssa sylvatica
The adaptability of 19 woody species in vegetating a former sanitary landfill. **27:13**
oak, black (*see Quercus velutina*)
oak, white (*see Quercus alba*)
oak-pine forest
Energy analyses of forestry practices in oak-pine forests and loblolly pine plantations. **27:365**
occluded resin canals
Occluded resin canals associated with egg cavities made by shoot infesting *Pissodes*. **27:297**
oleoresin
Role of apophysis and outer scale tissue in pine cone opening. **27:828**
operations research
Implications of goal programming in forest resource allocation: some comments. **27:454**
optimal growing stock
Determination of the optimal growing stock and cutting cycle for an uneven-aged stand. **27:739**
optimal harvest regimes
A comprehensive examination of economic harvest optimization simulation methods. **27:523**
optimization
Implications of goal programming in forest resource allocation: some comments. **27:454**
Logging equipment replacement: a quantitative approach. **27:2**
optimizing sampling designs
A separable goal programming approach to optimizing multivariate sampling designs for forest inventory. **27:147**
optimum allocation
Ensuring an adequate sample at each location in point sampling. **27:567**
optimum resource allocation
Optimum allocation in stratified sampling of forest populations on successive occasions. **27:730**
Oregon log market
An application of capital asset pricing to the spot market for softwood logs in Oregon. **27:215**
organic reserves
Organic reserves: importance to ectomycorrhizae in forest soils of western Montana. **27:442**
organogenesis
Scanning electron microscopy of shoot and root development in sweetgum callus tissue culture. **27:206**
Orgyia pseudotsugata
Relation of starch content to conifer mortality and growth loss after defoliation by the Douglas-fir tussock moth. **27:224**
Relationships of Douglas-fir tussock moth defoliation to site and stand characteristics in northern Idaho. **27:431**
A simulation approach for predicting the effect of Douglas-fir tussock moth defoliation on juvenile tree growth and stand dynamics. **27:685**
oscilloscope technique
Does the oscilloscope technique reveal the dormancy status of Douglas-fir and ponderosa pine? **27:405**
paraffin-clod method
Measuring forest soil bulk density using irregular hole, paraffin clod, and air permeability. **27:316**
partial replacement
Optimum allocation in stratified sampling of forest populations on successive occasions. **27:730**
pathogenicity
Pathogenicity of *Verticicladiella penicillata* (Grosm.) Kendrick to northern Idaho conifers. **27:103**
peatland hydrology
Summer streamflow and water level in a midlatitude forested swamp. **27:177**
perched trees
Method of mound dating. **27:39**
permanent plot measurements
Pocket calculator program for the one-shot method of tree height measurement on permanent plots. **27:815**
permeability
Determinations of transmissivity of shallow aquifers on high water table forested areas by pumping tests. **27:124**
pesticide treatment
Slash pine growth and response to fertilizer after application of pesticides to the planting site. **27:487**
phosphorus
Nutrient translocation in the outer canopy and understory of an eastern deciduous forest. **27:505**
photorespiration
Photosynthesis and photorespiration in Douglas-fir as influenced by irradiance, CO_2 concentration, and temperature. **27:641**
photosynthesis
Carbon dioxide exchange of ponderosa pine as affected by sodium chloride and polyethylene glycol. **27:139**
Photosynthesis and photorespiration in Douglas-fir as influenced by irradiance, CO_2 concentration, and temperature. **27:641**
Photosynthesis, xylem pressure potential, and leaf conductance of three montane chaparral species in California. **27:627**
The seasonal course of respiration and photosynthesis in strobili of Scots pine. **27:267**
photosynthetic photon flux density (PPFD)
Automatic determination of conductance, transpiration, and environmental conditions in forest trees. **27:817**
Picea engelmannii
The relationship of leaf area and foliage biomass to sapwood conducting area in four subalpine forest tree species. **27:477**
Picea mariana
Development of *Arceuthobium pusillum* on inoculated black spruce. **27:203**
Piledyn Wood Tester
Rapid determination of southern pine specific gravity with a Pilodyn Tester. **27:59**
pine, jack (*see Pinus banksiana*)
pine, loblolly (*see Pinus taeda*)
pine, lodgepole (*see Pinus contorta*)
pine, longleaf (*see Pinus palustris*)
pine, ponderosa (*see Pinus ponderosa*)
pine, Scotch (*see Pinus sylvestris*)
pine, Scots (*see Pinus sylvestris*)
pine, slash (*see Pinus elliottii*)
pine, western white (*see Pinus monticola*)
pine, white (*see Pinus strobus*)
pine beetle, southern (*see Dendroctonus frontalis*)
pine cone opening
Role of apophysis and outer scale tissue in pine cone opening. **27:828**
***Pinus* spp.**

Energy analyses of forestry practices in oak-pine forests and loblolly pine plantations. **27:365**

Pinus banksiana

Seventeen-year changes in climatic elements following prescribed burning. **27:33**

Pinus contorta

The relationship of leaf area and foliage biomass to sapwood conducting area in four subalpine forest tree species. **27:477**

The relationship of lodgepole pine cone age and seed extractability. **27:62**

Pinus echinata

Patterns of southern pine beetle (*Dendroctonus frontalis* Zimm.) infestation enlargement. **27:837**

Pinus elliottii

Slash pine growth and response to fertilizer after application of pesticides to the planting site. **27:487**

Pinus monophylla

Site quality and growth of pinyon-juniper stands in Nevada. **27:593**

Pinus monticola

Tissue culture plantlets produced from *Pinus monticola* embryonic materials. **27:299**

Pinus palustris

Shortening the grass stage of longleaf pine with plant growth regulators. **27:400**

Pinus ponderosa

Carbon dioxide exchange of ponderosa pine as affected by sodium chloride and polyethylene glycol. **27:139**

Does the oscilloscope technique reveal the dormancy status of Douglas-fir and ponderosa pine? **27:405**

Outplanting survival and growth of ponderosa pine seedlings inoculated with *Pisolithus tinctorius* in South Dakota. **27:277**

Progress in predicting the perceived scenic beauty of forest landscapes. **27:71**

A simulation approach for predicting the effect of Douglas-fir tussock moth defoliation on juvenile tree growth and stand dynamics. **27:685**

Pinus radiata

Remarks on *Generalized least squares estimation of yield functions* by I. S. Ferguson and J. W. Leech. **27:233**

Pinus strobus

Apical control of diameter growth in white pine branches. **27:95**

A modified growth intercept method for predicting site index in young white pine stands. **27:162**

Pinus sylvestris

The seasonal course of respiration and photosynthesis in strobili of Scots pine. **27:267**

Shoot and needle growth in *Pinus sylvestris* as related to temperature in Northern Fennoscandia. **27:423**

Pinus taeda

Fungicides influence growth and development of specific ectomycorrhizae on loblolly pine seedlings. **27:167**

Patterns of southern pine beetle (*Dendroctonus frontalis* Zimm.) infestation enlargement. **27:837**

Procedures for statistical validation of stochastic simulation models. **27:349**

Rapid determination of southern pine specific gravity with a Pilodyn Tester. **27:59**

Regional specific gravity values for plantation grown loblolly pine in the southeastern United States. **27:801**

pinyon-juniper stands

Site quality and growth of pinyon-juniper stands in Nevada. **27:593**

Pisolithus tinctorius

Fungicides influence growth and development of specific ectomycorrhizae on loblolly pine seedlings. **27:167**

Growth, ectomycorrhizal development, and root soluble carbohydrates of black oak seedlings fertilized by two methods. **27:617**

Outplanting survival and growth of ponderosa pine seedlings inoculated with *Pisolithus tinctorius* in South Dakota. **27:277**

***Pissodes* spp.**

Occluded resin canals associated with egg cavities made by shoot infesting *Pissodes*. **27:297**

plant indicators

A comparison of habitat type and elevation for seed-zone classification of Douglas-fir in western Oregon. **27:49**

plantation loblolly

Regional specific gravity values for plantation grown loblolly pine in the southeastern United States. **27:801**

plantations

Energy analyses of forestry practices in oak-pine forests and loblolly pine plantations. **27:365**

Xylem ethylene production in five black walnut families in the early stages of heartwood formation. **27:537**

planting site treatment

Slash pine growth and response to fertilizer after application of pesticides to the planting site. **27:487**

plot border effects

Root length in young hybrid *Populus* plantations: its implication for border width of research plots. **27:808**

plot sampling

Comparison of point and plot sampling basal area estimators. **27:42**

pocket calculator program

Pocket calculator program for the one-shot method of tree height measurement on permanent plots. **27:815**

point samples

Compatible estimates of basal area and basal area growth from remeasured point samples. **27:191**

point sampling

Comparison of point and plot sampling basal area estimators. **27:42**

Ensuring an adequate sample at each location in point sampling. **27:567**

polyethylene glycol

Carbon dioxide exchange of ponderosa pine as affected by sodium chloride and polyethylene glycol. **27:139**

population dynamics

Patterns of southern pine beetle (*Dendroctonus frontalis* Zimm.) infestation enlargement. **27:837**

population structure

Population structure of forests over a large area. **27:701**

***Populus* plantations**

Root length in young hybrid *Populus* plantations: its implication for border width of research plots. **27:808**

Populus tremuloides

An aspect transformation with regard to elevation for site productivity models. **27:483**

Factors related to incidence of *Hypoxylon* cankers in aspen and survival of cankered trees. **27:461**

Quantity, decomposition, and nutrient dynamics of aspen litterfall in Utah. **27:381**

The relationship of leaf area and foliage biomass to sapwood conducting area in four subalpine forest tree species. **27:477**

porometer

Automatic determination of conductance, transpiration, and environmental conditions in forest trees. **27:817**

porosity

Root penetration of Douglas-fir seedlings into compacted soil. **27:660**

postemergence mycorrhizal inoculum

Inoculation of containerized Douglas-fir with the ectomycorrhizal fungus *Cenococcum geophilum*. **27:27**

post-illumination burst

Photosynthesis and photorespiration in Douglas-fir as influenced by irradiance, CO_2 concentration, and temperature. **27:641**

potassium

Nutrient translocation in the outer canopy and understory of an eastern deciduous forest. **27:505**

prebunching

Simulating cable thinning in young-growth stands. **27:745**

pre-emergence mycorrhizal inoculum

Inoculation of containerized Douglas-fir with the ectomycorrhizal fungus *Cenococcum geophilum*. **27:27**

prescribed burning

Seventeen-year changes in climatic elements following prescribed burning. **27:33**

present net worth

A comprehensive examination of economic harvest optimization simulation methods. **27:523**

principal components analysis

An improved technique to evaluate climate-southern pine beetle relationships. **27:579**

productivity-aspect-elevation

An aspect transformation with regard to elevation for site productivity models. **27:483**

program allocation model

Forest pest management economics—application to the gypsy moth. **27:128**

programming equipment replacement

Logging equipment replacement: a quantitative approach. **27:2**

propagule rooting

Tissue culture plantlets produced from *Pinus monticola* embryonic materials. **27:299**

pruning

Compartmentalization of discolored and decayed wood in red maple branch stubs. **27:519**

Pseudotsuga menziesii

Colonization and infection of primary roots of Douglas-fir seedlings by the ectomycorrhizal fungus *Laccaria laccata*. **27:111**

A comparison of habitat type and elevation for seed-zone classification of Douglas-fir in western Oregon. **27:49**

Consistent height-growth and growth-rate estimates for remeasured plots. **27:711**

Does the oscilloscope technique reveal the dormancy status of Douglas-fir and ponderosa pine? **27:405**

Effects of sludge disposal on drainage solutions of two forest soils. **27:792**

Inoculation of containerized Douglas-fir with the ectomycorrhizal fungus *Cenococcum geophilum*. **27:27**

Photosynthesis and photorespiration in Douglas-fir as influenced by irradiance, CO_2 concentration, and temperature. **27:641**

Relation of starch content to conifer mortality and growth loss after defoliation by the Douglas-fir tussock moth. **27:224**

Root penetration of Douglas-fir seedlings into compacted soil. **27:660**

A simulation approach for predicting the effect of Douglas-fir tussock moth defoliation on juvenile tree growth and stand dynamics. **27:685**

quadratic programming

A comprehensive examination of economic harvest optimization simulation methods. **27:523**

quaking aspen (*see* ***Populus tremuloides***)

***Quercus* spp.**

Energy analyses of forestry practices in oak-pine forests and loblolly pine plantations. **27:365**

Quercus alba

Variation in seed yield of white oak. **27:377**

Quercus velutina

Growth, ectomycorrhizal development, and root soluble carbohydrates of black oak seedlings fertilized by two methods. **27:617**

rainfall interception

Seventeen-year changes in climatic elements following prescribed burning. **27:33**

random sampling

Comparison of fixed-radius circular plot sampling with simple random sampling. **27:245**

RARE II

A method for designing cost-effective wilderness allocation alternatives. **27:551**

recreation

Land use designations affect perception of scenic beauty in forest landscapes. **27:392**

red maple (*see* ***Acer rubrum***)

regeneration

Does the oscilloscope technique reveal the dormancy status of Douglas-fir and ponderosa pine? **27:405**

Regeneration of mamane: effects of seedcoat treatment and sowing depth. **27:771**

regression models

Multiplicative regression with lognormal errors. **27:281**

regrowth eucalypt forest

Simulation of diameter growth and mortality in regrowth eucalypt forest of southern Tasmania. **27:603**

remeasured plots

Consistent height-growth and growth-rate estimates for remeasured plots. **27:711**

remeasuring

Optimum allocation in stratified sampling of forest populations on successive occasions. **27:730**

renovation

Effects of sludge disposal on drainage solutions of two forest soils. **27:792**

research plot size

Root length in young hybrid *Populus* plantations: its implication for border width of research plots. **27:808**

reserve food

Annual variations in soluble sugars, starch, and total food resources in *Eucalyptus obliqua* roots. **27:449**

resin acids

Role of apophysis and outer scale tissue in pine cone opening. **27:828**

resin canal occlusion

Occluded resin canals associated with egg cavities made by shoot infesting *Pissodes*. **27:297**

respiration

Carbon dioxide exchange of ponderosa pine as affected by sodium chloride and polyethylene glycol. **27:139**

Photosynthesis and photorespiration in Douglas-fir as influenced by irradiance, CO_2 concentration, and temperature. **27:641**

The seasonal course of respiration and photosynthesis in strobili of Scots pine. **27:267**

return analysis

An application of capital asset pricing to the spot market for softwood logs in Oregon. **27:215**

revegetation

The adaptability of 19 woody species in vegetating a former sanitary landfill. **27:13**

Ribes hudsonianum* var. *petiolare

Genetic interaction of *Cronartium ribicola* and *Ribes hudsonianum* var. *petiolare*. **27:758**

ridge regression

Applications of ridge regression in forestry. **27:339**

risk analysis
An application of capital asset pricing to the spot market for softwood logs in Oregon. **27:215**
root carbohydrates
Growth, ectomycorrhizal development, and root soluble carbohydrates of black oak seedlings fertilized by two methods. **27:617**
root-depth distribution class
Vertical root distribution of American basswood in sanitary landfill soil. **27:725**
root development
Scanning electron microscopy of shoot and root development in sweetgum callus tissue culture. **27:206**
root food resources
Annual variations in soluble sugars, starch, and total food resources in *Eucalyptus obliqua* roots. **27:449**
root infection
Colonization and infection of primary roots of Douglas-fir seedlings by the ectomycorrhizal fungus *Laccaria laccata*. **27:111**
root length
Root length in young hybrid *Populus* plantations: its implication for border width of research plots. **27:808**
root penetration
Root penetration of Douglas-fir seedlings into compacted soil. **27:660**
root-stain disease
Pathogenicity of *Verticicladiella penicillata* (Grosm.) Kendrick to northern Idaho conifers. **27:103**
rust intensity
Genetic interaction of *Cronartium ribicola* and *Ribes hudsonianum* var. *petiolare*. **27:758**
sample plot techniques
Pocket calculator program for the one-shot method of tree height measurement on permanent plots. **27:815**
sampling
Comparison of point and plot sampling basal area estimators. **27:42**
Ensuring an adequate sample at each location in point sampling. **27:567**
Optimum allocation in stratified sampling of forest populations on successive occasions. **27:730**
sampling by circular plot
Comparison of fixed-radius circular plot sampling with simple random sampling. **27:245**
sampling comparison
Comparison of fixed-radius circular plot sampling with simple random sampling. **27:245**
sampling designs
A separable goal programming approach to optimizing multivariate sampling designs for forest inventory. **27:147**
sanitary landfill vegetation
The adaptability of 19 woody species in vegetating a former sanitary landfill. **27:13**
Saperda
Factors related to incidence of *Hypoxylon* cankers in aspen and survival of cankered trees. **27:461**
sapwood
Xylem ethylene production in five black walnut families in the early stages of heartwood formation. **27:537**
sapwood-leaf area relationship
The relationship of leaf area and foliage biomass to sapwood conducting area in four subalpine forest tree species. **27:477**
scale tissue
Role of apophysis and outer scale tissue in pine cone opening. **27:828**
scanning electron microscopy
Scanning electron microscopy of shoot and root development in sweetgum callus tissue culture. **27:206**
scenic beauty
Land use designations affect perception of scenic beauty in forest landscapes. **27:392**
scenic beauty estimation
Progress in predicting the perceived scenic beauty of forest landscapes. **27:71**
Scotch pine (*see* ***Pinus sylvestris***)
Scots pine (*see* ***Pinus sylvestris***)
seed dormancy
Seed dormancy of red maple in east Tennessee. **27:446**
seed extractability
The relationship of lodgepole pine cone age and seed extractability. **27:62**
seed yield variation
Variation in seed yield of white oak. **27:377**
seed-zone classification
A comparison of habitat type and elevation for seed-zone classification of Douglas-fir in western Oregon. **27:49**
seedcoat treatment
Regeneration of mamane: effects of seedcoat treatment and sowing depth. **27:771**
seedling development
Fungicides influence growth and development of specific ectomycorrhizae on loblolly pine seedlings. **27:167**
seedling growth
Growth, ectomycorrhizal development, and root soluble carbohydrates of black oak seedlings fertilized by two methods. **27:617**
Initial growth of Fraser fir seedlings at different day/night temperatures. **27:545**
Outplanting survival and growth of ponderosa pine seedlings inoculated with *Pisolithus tinctorius* in South Dakota. **27:277**
seedling inoculation
Response of vesicular-arbuscular endomycorrhizal sweetgum seedlings to three nitrogen fertilizers. **27:413**
seedling nitrogen response
Response of vesicular-arbuscular endomycorrhizal sweetgum seedlings to three nitrogen fertilizers. **27:413**
seedling nutrition
Growth, ectomycorrhizal development, and root soluble carbohydrates of black oak seedlings fertilized by two methods. **27:617**
seedling quality
Fungicides influence growth and development of specific ectomycorrhizae on loblolly pine seedlings. **27:167**
seedling survival
Outplanting survival and growth of ponderosa pine seedlings inoculated with *Pisolithus tinctorius* in South Dakota. **27:277**
Regeneration of mamane: effects of seedcoat treatment and sowing depth. **27:771**
selection
Regional specific gravity values for plantation grown loblolly pine in the southeastern United States. **27:801**
sensors
Semiautomated recording of wood cell dimensions. **27:336**
serotinous cones
Role of apophysis and outer scale tissue in pine cone opening. **27:828**
severity model
A severity model for southern pine beetle infestations. **27:290**
sewage
Effects of sludge disposal on drainage solutions of two forest soils. **27:792**
shade tolerance

Population structure of forests over a large area. **27:701**

shoot development
Scanning electron microscopy of shoot and root development in sweetgum callus tissue culture. **27:206**

shoot elongation measurement
A micrometer for continuous measurements of shoot elongation. **27:574**

shoot growth
Shoot and needle growth in *Pinus sylvestris* as related to temperature in Northern Fennoscandia. **27:423**
Shortening the grass stage of longleaf pine with plant growth regulators. **27:400**

shoot infestation
Occluded resin canals associated with egg cavities made by shoot infesting *Pissodes*. **27:297**

short shoots
Shortening the grass stage of longleaf pine with plant growth regulators. **27:400**

silviculture
Patterns of southern pine beetle (*Dendroctonus frontalis* Zimm.) infestation enlargement. **27:837**

simple random sampling
Comparison of fixed-radius circular plot sampling with simple random sampling. **27:245**

simulating cable thinning
Simulating cable thinning in young-growth stands. **27:745**

simulation
A severity model for southern pine beetle infestations. **27:290**

simulation algorithms
A comprehensive examination of economic harvest optimization simulation methods. **27:523**

simulation approach
A simulation approach for predicting the effect of Douglas-fir tussock moth defoliation on juvenile tree growth and stand dynamics. **27:685**

simulation models
Procedures for statistical validation of stochastic simulation models. **27:349**

singleleaf pinyon (*see* ***Pinus monophylla***)

site conditions
Comment by Harry T. Valentine on "Stand and site conditions related to southern pine beetle susceptibility." **27:504**

site-defoliation relationships
Relationships of Douglas-fir tussock moth defoliation to site and stand characteristics in northern Idaho. **27:431**

site index
Consistent height-growth and growth-rate estimates for remeasured plots. **27:711**
A modified growth intercept method for predicting site index in young white pine stands. **27:162**

site productivity model
An aspect transformation with regard to elevation for site productivity models. **27:483**

site quality
Site quality and growth of pinyon-juniper stands in Nevada. **27:593**

slash pine (*see* ***Pinus elliottii***)

slope-litter relationship
Distribution of net litter inputs with respect to slope position and wind direction. **27:651**

sludge disposal
Effects of sludge disposal on drainage solutions of two forest soils. **27:792**

snowbrush ceanothus (*see* ***Ceanothus velutinus***)

sodium
Nutrient translocation in the outer canopy and understory of an eastern deciduous forest. **27:505**

sodium chloride
Carbon dioxide exchange of ponderosa pine as affected by sodium chloride and polyethylene glycol. **27:139**

softwood log market
An application of capital asset pricing to the spot market for softwood logs in Oregon. **27:215**

soil bulk density
Root penetration of Douglas-fir seedlings into compacted soil. **27:660**

soil compaction
Measuring forest soil bulk density using irregular hole, paraffin clod, and air permeability. **27:316**

soil density measurement
Measuring forest soil bulk density using irregular hole, paraffin clod, and air permeability. **27:316**

soil enrichment
Quantity, decomposition, and nutrient dynamics of aspen litterfall in Utah. **27:381**

soil fumigation
Slash pine growth and response to fertilizer after application of pesticides to the planting site. **27:487**

soil management
Measuring forest soil bulk density using irregular hole, paraffin clod, and air permeability. **27:316**

soil nitrate availability
Nitrogen mineralization and nitrification potentials following clearcutting in the Hoosier National Forest, Indiana. **27:781**

soil organic matter
Organic reserves: importance to ectomycorrhizae in forest soils of western Montana. **27:442**

soil quality
Organic reserves: importance to ectomycorrhizae in forest soils of western Montana. **27:442**

soil solution
Effects of sludge disposal on drainage solutions of two forest soils. **27:792**

soil temperature
Seventeen-year changes in climatic elements following prescribed burning **27:33**

sonic digitizer
Semiautomated recording of wood cell dimensions. **27:336**

Sophora chrysophylla
Regeneration of mamane: effects of seedcoat treatment and sowing depth. **27:771**

southern pine beetle (*see* ***Dendroctonus frontalis***)

southern pine beetle susceptibility
Comment by Harry T. Valentine on "Stand and site conditions related to southern pine beetle susceptibility." **27:504**

southern pine specific gravity
Rapid determination of southern pine specific gravity with a Pilodyn Tester. **27:59**

sowing depth
Regeneration of mamane: effects of seedcoat treatment and sowing depth. **27:771**

spatial distribution
Simulating cable thinning in young-growth stands. **27:745**

spatial pattern
Comparison of point and plot sampling basal area estimators. **27:42**

specific gravity
Regional specific gravity values for plantation grown loblolly pine in the southeastern United States. **27:801**

specific gravity determination
Rapid determination of southern pine specific gravity with a Pilodyn Tester. **27:59**

specific resistance
Genetic interaction of *Cronartium ribicola* and *Ribes hudsonianum* var. *petiolare*. **27:758**

spruce, black (*see* ***Picea mariana***)

spruce, Engelmann (*see* ***Picea engelmannii***)

stand conditions
Comment by Harry T. Valentine on "Stand and site conditions related to southern pine beetle susceptibility." **27:504**
stand dynamics
A simulation approach for predicting the effect of Douglas-fir tussock moth defoliation on juvenile tree growth and stand dynamics. **27:685**
stand optimal growing stock
Determination of the optimal growing stock and cutting cycle for an uneven-aged stand. **27:739**
stand simulator
Procedures for statistical validation of stochastic simulation models. **27:349**
starch content
Relation of starch content to conifer mortality and growth loss after defoliation by the Douglas-fir tussock moth. **27:224**
starch content variation
Annual variations in soluble sugars, starch, and total food resources in *Eucalyptus obliqua* roots. **27:449**
static analysis
Determination of the optimal growing stock and cutting cycle for an uneven-aged stand. **27:739**
statistical analysis
Reply to remarks by A. W. Davis and P. W. West on "Generalized least squares estimation of yield functions." **27:589**
statistical methods
Remarks on *Generalized least squares estimation of yield functions* by I. S. Ferguson and J. W. Leech. **27:233**
statistical validation procedures
Procedures for statistical validation of stochastic simulation models. **27:349**
stem-foliar relationship
The relationship of leaf area and foliage biomass to sapwood conducting area in four subalpine forest tree species. **27:477**
stochastic simulation models
Procedures for statistical validation of stochastic simulation models. **27:349**
stomata
Scanning electron microscopy of shoot and root development in sweetgum callus tissue culture. **27:206**
stratified random sampling
A separable goal programming approach to optimizing multivariate sampling designs for forest inventory. **27:147**
stratified sampling
Optimum allocation in stratified sampling of forest populations on successive occasions. **27:730**
streamflow regime
Summer streamflow and water level in a midlatitude forested swamp. **27:177**
strobili
The seasonal course of respiration and photosynthesis in strobili of Scots pine. **27:267**
stumpage valuation model
Reply to comment on "A technique for estimating timber value based on tree size, management variables and market conditions." **27:763**
stylus
Semiautomated recording of wood cell dimensions. **27:336**
subalpine fir (*see* ***Abies lasiocarpa***)
subsampling
Ensuring an adequate sample at each location in point sampling. **27:567**
substrate water potential
Carbon dioxide exchange of ponderosa pine as affected by sodium chloride and polyethylene glycol. **27:139**
sugar content variation
Annual variations in soluble sugars, starch, and total food resources in *Eucalyptus obliqua* roots. **27:449**
summer streamflow
Summer streamflow and water level in a midlatitude forested swamp. **27:177**
survival
Outplanting survival and growth of ponderosa pine seedlings inoculated with *Pisolithus tinctorius* in South Dakota. **27:277**
survival on landfill
The adaptability of 19 woody species in vegetating a former sanitary landfill. **27:13**
swamp hydrology
Summer streamflow and water level in a midlatitude forested swamp. **27:177**
Swedish data caliper
An electronic caliper with automatic data storage. **27:765**
sweetgum (*see* ***Liquidambar styraciflua***)
swinging
Simulating cable thinning in young-growth stands. **27:745**
symbiont
Response of vesicular-arbuscular endomycorrhizal sweetgum seedlings to three nitrogen fertilizers. **27:413**
symbiont fungi
Effects of three vesicular-arbuscular mycorrhizal fungi on sweetgum seedlings from nine mother trees. **27:327**
symbiotic fungus
Colonization and infection of primary roots of Douglas-fir seedlings by the ectomycorrhizal fungus *Laccaria laccata*. **27:111**
temperature
Photosynthesis and photorespiration in Douglas-fir as influenced by irradiance, CO_2 concentration, and temperature. **27:641**
Seventeen-year changes in climatic elements following prescribed burning. **27:33**
temperature-growth relationship
Initial growth of Fraser fir seedlings at different day/night temperatures. **27:545**
temperature-shoot relationship
Shoot and needle growth in *Pinus sylvestris* as related to temperature in Northern Fennoscandia. **27:423**
Theis method
Determinations of transmissivity of shallow aquifers on high water table forested areas by pumping tests. **27:124**
Thelephora terrestris
Fungicides influence growth and development of specific ectomycorrhizae on loblolly pine seedlings. **27:167**
thermoperiodism
Initial growth of Fraser fir seedlings at different day/night temperatures. **27:545**
THIN
Simulating cable thinning in young-growth stands. **27:745**
Tilia americana
Vertical root distribution of American basswood in sanitary landfill soil. **27:725**
timber harvest scheduling
A comprehensive examination of economic harvest optimization simulation methods. **27:523**
timber—land value model
Segregating land values from sales of forested properties under even-aged management. **27:305**
timber value estimating
Reply to comment on "A technique for estimating timber value based on tree size, management variables and market conditions." **27:763**

timelag fuel
Moisture content calculations for 1000-hour timelag fuels. **27:19**
tissue culture plantlets
Tissue culture plantlets produced from *Pinus monticola* embryonic materials. **27:299**
top-kill
Estimating truncated tree volumes with the Behre hyperboloid and existing total volume equations. **27:253**
translocation rates
Nutrient translocation in the outer canopy and understory of an eastern deciduous forest. **27:505**
transmissivity
Determinations of transmissivity of shallow aquifers on high water table forested areas by pumping tests. **27:124**
transpiration
Automatic determination of conductance, transpiration, and environmental conditions in forest trees. **27:817**
tree growth model
A simulation approach for predicting the effect of Douglas-fir tussock moth defoliation on juvenile tree growth and stand dynamics. **27:685**
tree height measurements
Pocket calculator program for the one-shot method of tree height measurement on permanent plots. **27:815**
tree improvement
Regional specific gravity values for plantation grown loblolly pine in the southeastern United States. **27:801**
tree wounds
Compartmentalization of discolored and decayed wood in red maple branch stubs. **27:519**
truncated tree volumes
Estimating truncated tree volumes with the Behre hyperboloid and existing total volume equations. **27:253**
turpentine
Role of apophysis and outer scale tissue in pine cone opening. **27:828**
tussock moth, Douglas-fir (*see* ***Orgyia pseudotsugata***)
unconstrained optimization
Logging equipment replacement: a quantitative approach. **27:2**
uneven-aged stands
Determination of the optimal growing stock and cutting cycle for an uneven-aged stand. **27:739**
Utah juniper (*see* ***Juniperus osteosperma***)
valuation
Reply to comment on "A technique for estimating timber value based on tree size, management variables and market conditions." **27:763**
variable-top
Estimating truncated tree volumes with the Behre hyperboloid and existing total volume equations. **27:253**
variation
Regional specific gravity values for plantation grown loblolly pine in the southeastern United States. **27:801**
vegetating landfill
The adaptability of 19 woody species in vegetating a former sanitary landfill. **27:13**
vegetative peat-vermiculite mycorrhizal inoculum
Inoculation of containerized Douglas-fir with the ectomycorrhizal fungus *Cenococcum geophilum*. **27:27**
vertical root distribution
Vertical root distribution of American basswood in sanitary landfill soil. **27:725**
Verticicladiella penicillata
Pathogenicity of *Verticicladiella penicillata* (Grosm.) Kendrick to northern Idaho conifers. **27:103**
vesicular-arbuscular endomycorrhizae
Response of vesicular-arbuscular endomycorrhizal sweetgum seedlings to three nitrogen fertilizers. **27:413**
vesicular-arbuscular symbionts
Effects of three vesicular-arbuscular mycorrhizal fungi on sweetgum seedlings from nine mother trees. **27:327**
volume equations
Estimating truncated tree volumes with the Behre hyperboloid and existing total volume equations. **27:253**
volume estimates
Compatible estimates of basal area and basal area growth from remeasured point samples. **27:191**
volume estimating
Estimating truncated tree volumes with the Behre hyperboloid and existing total volume equations. **27:253**
volume ratio model
Estimating truncated tree volumes with the Behre hyperboloid and existing total volume equations. **27:253**
walnut, black (*see* ***Juglans nigra***)
water balance
Summer streamflow and water level in a midlatitude forested swamp. **27:177**
water potential
Carbon dioxide exchange of ponderosa pine as affected by sodium chloride and polyethylene glycol. **27:139**
water relations
Photosynthesis, xylem pressure potential, and leaf conductance of three montane chaparral species in California. **27:627**
water table height
Determinations of transmissivity of shallow aquifers on high water table forested areas by pumping tests. **27:124**
water vapor conductance
Automatic determination of conductance, transpiration, and environmental conditions in forest trees. **27:817**
welfare theory
Implications of goal programming in forest resource allocation: some comments. **27:454**
western white pine (*see* ***Pinus monticola***)
white fir (*see* ***Abies concolor***)
white oak (*see* ***Quercus alba***)
white pine (*see* ***Pinus strobus***)
wilderness allocation model
A method for designing cost-effective wilderness allocation alternatives. **27:551**
wilderness cost
A method for designing cost-effective wilderness allocation alternatives. **27:551**
wildland fuel management
A linear programming model for wildland fuel management planning. **27:81**
wind-litter relationship
Distribution of net litter inputs with respect to slope position and wind direction. **27:651**
wood cell measurement recording
Semiautomated recording of wood cell dimensions. **27:336**
wood compartmentalization
Compartmentalization of discolored and decayed wood in red maple branch stubs. **27:519**
wood specific gravity
Rapid determination of southern pine specific gravity with a Pilodyn Tester. **27:59**
woody residues
Organic reserves: importance to ectomycorrhizae in forest soils of western Montana. **27:442**
wounds

Compartmentalization of discolored and decayed wood in red maple branch stubs. 27:519
xylem ethylene production
Xylem ethylene production in five black walnut families in the early stages of heartwood formation. 27:537
xylem pressure potential
Photosynthesis, xylem pressure potential, and leaf conductance of three montane chaparral species in California. 27:627
xylem water potential
Carbon dioxide exchange of ponderosa pine as affected by sodium chloride and polyethylene glycol. 27:139
yarding
Simulating cable thinning in young-growth stands. 27:745
yellow birch (*see Betula alleghaniensis*)
yield component analysis
Variation in seed yield of white oak. 27:377
yield estimation
Compatible estimates of basal area and basal area growth from remeasured point samples. 27:191
yield functions
Remarks on *Generalized least squares estimation of yield functions* by I. S. Ferguson and J. W. Leech. 27:233
Reply to remarks by A. W. Davis and P. W. West on "Generalized least squares estimation of yield functions." 27:589
young-growth stands
Simulating cable thinning in young-growth stands. 27:745

Author Index[1]

AHLGREN, CLIFFORD E., 27:33
AMERSON, H. V., 27:299
ANDERSON, GERALD W., 27:461
ANDERSON, LINDA M., 27:392
ANDREWS, D. S., 27:758
ANDREWS, PATRICIA L., 27:19
ASKREN, C. A., 27:405
BAER, NORMAN W., 27:277
BAKER, F. A., 27:203
BARE, B. BRUCE, 27:147; 27:339
BARKER, N. A., 27:62
BARTOS, DALE L., 27:381
BEDUNAH, D., 27:139
BENGTSON, G. W., 27:487
BETTERS, DAVID R., 27:483
BIGGS, R. H., 27:828
BIRCHEM, REGINA, 27:206
BIXBY, J. A., 27:617
BRODIE, J. DOUGLAS, 27:102
BROOKS, KENNETH N., 27:390 (rev.)
BROWN, ALICE C., 27:111
BROWN, C. L., 27:206
BROWN, JAMES H., 27:162
BROWN, JAMES K., 27:667
BROWN, R. W., 27:413
BRUCE, DAVID, 27:711
BRYAN, WILLIAM C., 27:327
BURKHART, HAROLD E., 27:290; 27:349
BUTLER, DAVID A., 27:2; 27:745
CAMPBELL, ROBERT K., 27:49
CHANG, SUN JOSEPH, 27:739
CONARD, S. G., 27:627
COOPER, STEPHEN V., 27:593
COULSON, R. N., 27:837
COX, G. S., 27:617
CUNNINGHAM, MAUREEN, 27:446
DANIEL, TERRY C., 27:71
DANIELS, RICHARD F., 27:349
DAVIS, A. W., 27:233
DAWSON, JEFFREY O., 27:239
DEBYLE, NORBERT V., 27:381
DIXON, R. K., 27:617
DOEHLERT, DOUGLAS C., 27:641
DRISCOLL, RICHARD S., 27:757 (rev.)
DYKSTRA, DENNIS P., 27:2
FARGO, W. S., 27:837
FARMER, R. E., JR., 27:377; 27:446
FERGUSON, I. S., 27:589 (reply)
FERRELL, W. K., 27:252 (rev.); 27:304 (rev.)
FLEWELLING, JAMES W., 27:101; 27:281
FLOWER, FRANKLIN B., 27:13; 27:725
FOSBERG, MICHAEL A., 27:19
FRANKLIN, JERRY F., 27:49
FRENCH, D. W., 27:203
FUNK, DAVID T., 27:239
GARA, R. I., 27:297
GARRETT, H. E., 27:617
GILMAN, EDWARD F., 27:13; 27:725
GLERUM, CHRISTIAAN, 27:543 (rev.)
GRAHAM, H. A., 27:27
GREEN, DEREK J., 27:519
GRIZZARD, T., 27:505
GUTIÉRREZ, R. J., 27:602 (rev.)
HANN, DAVID W., 27:339
HANSEN, EDWARD A., 27:808
HARVEY, A. E., 27:442
HATCH, CHARLES R., 27:685
HEDDEN, ROY L., 27:290
HEIDE, ÖLA M., 27:423
HEILMAN, PAUL, 27:660
HELLUM, A. K., 27:62
HERMANN, R. K., 27:405; 27:266 (rev.); 27:592 (rev.)
HERRICK, OWEN W., 27:128
HINESLEY, L. ERIC, 27:545
HOLBO, H. R., 27:405; 27:574
HOWARD, RICHARD F., 27:316
HRUBES, ROBERT J., 27:454
HUDLER, G. W., 27:203
ISEBRANDS, J. G., 27:537
JACKSON, DAVID H., 27:763 (reply)
JETT, J. B., 27:801
JONSSON, BENGT, 27:765
JUNTTILA, OLAVI, 27:423
JURGENSEN, M. F., 27:442
KALKSTEIN, LAURENCE S., 27:579
KAUFMANN, MERRILL R., 27:477; 27:640 (rev.); 27:817
KILE, G. A., 27:449
KILPATRICK, D. J., 27:730
KLEMPERER, W. DAVID, 27:305
KLOPATEK, JEFFREY M., 27:365
KORMANIK, P. P., 27:327; 27:413
KOSSUTH, S. V., 27:400; 27:828
LARSEN, M. J., 27:442
LASSOIE, J. P., 27:651
LEDOUX, CHRIS B., 27:745
LEECH, J. W., 27:589 (reply)
LEONE, IDA A., 27:13; 27:725
LEUSCHNER, WILLIAM A., 27:290
LINDER, SUNE, 27:267
LINDERMAN, R. G., 27:27
LUXMOORE, R. J., 27:505
MARTIN, MARGARET P., 27:461
MARX, DONALD H., 27:167
MATSON, PAMELA A., 27:781
MAX, TIMOTHY A., 27:567
MCDONALD, G. I., 27:758
MCQUILLAN, ALAN G., 27:763
MEEUING, RICHARD O., 27:593
MIELKE, MANFRED E., 27:103
MIKA, PETER G., 27:431
MITCHELL, BRIAN R., 27:147
MITCHELL, RUSSELL G., 27:244 (rev.)
MONSERUD, ROBERT A., 27:253
MOORE, JAMES A., 27:431; 27:685
MOTT, R. L., 27:299
MURPHY, JAMES L., 27:81
NEAL, ROBERT L., JR., 27:815
NELSON, NEIL D., 27:537
ODERWALD, RICHARD G., 27:42
OLSEN, ROBERT A., 27:215
OMI, PHILIP N., 27:81
OSBORNE, HAROLD L., 27:431
OTTA, JACK D., 27:277
OVERHULSER, DAVID, 27:297
PIENAAR, L. V., 27:281
POPE, D. N., 27:837
QUIRK, J. T., 27:336
RADOSEVICH, S. R., 27:627
RANNEY, J. W., 27:701
REED, DAVID D., 27:290
REHFUESS, K. E., 27:502 (rev.)
RENSI, GIUSEPPE, 27:454
REYNOLDS, MARION R., JR., 27:349
RIEKERK, H., 27:792
RIETVELD, W. J., 27:537

[1] (rev.) = book review
(com.) = comment

RISSER, PAUL G., 27:365
ROISE, JOSEPH P., 27:483
ROOK, DAVID A., 27:779 (rev.)
ROTHERMEL, RICHARD C., 27:19
ROWAN, S. JAMES, 27:167
SCHMIDT, JAMES S., 27:523
SCHOWALTER, T. D., 27:837
SCHREINER, DAVID S., 27:567
SCHREUDER, HANS T., 27:567
SCHROEDER, HERBERT, 27:71
SCHULTZ, R. C., 27:327; 27:413
SCOWCROFT, PAUL G., 27:771
SHIGO, ALEX L., 27:519
SHORTLE, WALTER C., 27:519
SHUGART, H. H., JR., 27:701
SINCLAIR, W. A., 27:111
SINGER, MICHAEL J., 27:316
SMART, G. C., JR., 27:487
SMITH, J. HARRY G., 27:684 (com.)
SOMMER, H. E., 27:206
STIER, JEFFREY C., 27:214 (rev.)
STIRES, JAMES L., 27:162
STONE, E. L., 27:651
STOSZEK, KAREL J., 27:431
STRAND, R. H., 27:505
TALBERT, JOHN T., 27:801
TAYLOR, FRED W., 27:59
TEDDER, PHILIP L., 27:523
TEEGUARDEN, DENNIS E., 27:551
TERPSTRA, ROBERT H., 27:215
THIRGOOD, J. V., 27:190
TOMLINSON, P. B., 27:422 (rev.)
TOMPSON, J. G., 27:617
TRLICA, M. J., 27:139
TROENDLE, CHARLES A., 27:477
TROENG, ERIK, 27:267
VALENTINE, HARRY T., 27:504 (com.)
VALVERDE, JUAN, 27:177
VITOUSEK, PETER M., 27:781
WALKER, RICHARD B., 27:641
WEBB, WARREN L., 27:224
WELBOURN, M. L., 27:651
WENSEL, LEE C., 27:81
WEST, D. C., 27:701
WEST, P. W., 27:233; 27:603
WIANT, HARRY V., JR., 27:245
WILLIAMS, THOMAS M., 27:124
WILSON, BRAYTON F., 27:95
WOO, MING-KO, 27:177
YANDLE, DAVID O., 27:245
ZAERR, JOE B., 27:574
ZAVITKOVSKI, JERRY, 27:460 (rev.); 27:476 (rev.)
ZEIDE, BORIS, 27:39

U.S. POSTAL SERVICE

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION

(Required by 39 U.S.C. 3685)

1. TITLE OF PUBLICATION	A. PUBLICATION NO.	2. DATE OF FILING
FOREST SCIENCE		November 20,1981
3. FREQUENCY OF ISSUE	A. NO. OF ISSUES PUBLISHED ANNUALLY	B. ANNUAL SUBSCRIPTION PRICE U.S. / Foreign
Quarterly	4	Individual $18 / $22
		Institution $30 / $34

4. COMPLETE MAILING ADDRESS OF KNOWN OFFICE OF PUBLICATION (Street, City, County, State and ZIP Code) (Not printers)

5400 Grosvenor Lane, Bethesda, Maryland 20814

5. COMPLETE MAILING ADDRESS OF THE HEADQUARTERS OR GENERAL BUSINESS OFFICES OF THE PUBLISHERS (Not printers)

5400 Grosvenor Lane, Bethesda, Maryland 20814

6. FULL NAMES AND COMPLETE MAILING ADDRESS OF PUBLISHER, EDITOR, AND MANAGING EDITOR (This item MUST NOT be blank)

PUBLISHER (Name and Complete Mailing Address)

Society of American Foresters, 5400 Grosvenor Lane, Bethesda, Maryland 20814

EDITOR (Name and Complete Mailing Address)

Gregory N. Brown, College of Forestry, Univ. of Minnesota, St. Paul, Minn. 55108

MANAGING EDITOR (Name and Complete Mailing Address)

None

7. OWNER (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Item must be completed)

FULL NAME	COMPLETE MAILING ADDRESS
Society of American Foresters	5400 Grosvenor Lane, Bethesda, Md. 20814

8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES (If there are none, so state)

FULL NAME	COMPLETE MAILING ADDRESS
None	

9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES (Section 411.3, DMM only)
The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes (Check one)

☐ (1) HAS NOT CHANGED DURING PRECEDING 12 MONTHS ☐ (2) HAS CHANGED DURING PRECEDING 12 MONTHS (If changed, publisher must submit explanation of change with this statement.)

10. EXTENT AND NATURE OF CIRCULATION	AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE
A. TOTAL NO. COPIES (Net Press Run)	2,013	2,100
B. PAID CIRCULATION: 1. SALES THROUGH DEALERS AND CARRIERS, STREET VENDORS AND COUNTER SALES		
2. MAIL SUBSCRIPTION	1,770	1,814
C. TOTAL PAID CIRCULATION (Sum of 10B1 and 10B2)	1,770	1,814
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES	46	37
E. TOTAL DISTRIBUTION (Sum of C and D)	1,816	1,851
F. COPIES NOT DISTRIBUTED: 1. OFFICE USE, LEFT OVER, UNACCOUNTED, SPOILED AFTER PRINTING	197	249
2. RETURN FROM NEWS AGENTS		
G. TOTAL (Sum of E, F1 and 2 - should equal net press run shown in A)	2,013	2,100

11. I certify that the statements made by me above are correct and complete

SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER: John R. Maguire — Director of Business & Finance

PS Form 3526, June 1980 (Page 1) (See instruction on reverse)

Number 1, March 1981

Logging equipment replacement: a quantitative approach ... *David A. Butler, Dennis P. Dykstra* 2

The adaptability of 19 woody species in vegetating a former sanitary landfill ... *Edward F. Gilman, Ida A. Leone, Franklin B. Flower* 13

Moisture content calculations for 1000-hour timelag fuels ... *Michael A. Fosberg, Richard C. Rothermel, Patricia L. Andrews* 19

Inoculation of containerized Douglas-fir with the ectomycorrhizal fungus *Cenococcum geophilum* ... *J. H. Graham, R. G. Linderman* 27

Seventeen-year changes in climatic elements following prescribed burning ... *Clifford E. Ahlgren* 33

Comparison of point and plot sampling basal area estimators ... *Richard G. Oderwald* 42

A comparison of habitat type and elevation for seed-zone classification of Douglas-fir in western Oregon ... *Robert K. Campbell, Jerry F. Franklin* 49

The relationship of lodgepole pine cone age and seed extractability ... *A. K. Hellum, N. A. Barker* 62

Progress in predicting the perceived scenic beauty of forest landscapes ... *Herbert Schroeder, Terry C. Daniel* 71

A linear programming model for wildland fuel management planning ... *Philip N. Omi, James L. Murphy, Lee C. Wensel* 81

Apical control of diameter growth in white pine branches ... *Brayton F. Wilson* 95

Pathogenicity of *Verticicladiella penicillata* (Grosm.) Kendrick to northern Idaho conifers ... *Manfred E. Mielke* 103

Colonization and infection of primary roots of Douglas-fir seedlings by the ectomycorrhizal fungus *Laccaria laccata* ... *Alice C. Brown, W. A. Sinclair* 111

Forest pest management economics—application to the gypsy moth ... *Owen W. Herrick* 128

Carbon dioxide exchange of ponderosa pine as affected by sodium chloride and polyethylene glycol ... *D. Bedunah, M. J. Trlica* 139

A separable goal programming approach to optimizing multivariate sampling designs for forest inventory ... *Brian R. Mitchell, B. Bruce Bare* 147

Fungicides influence growth and development of specific ectomycorrhizae on loblolly pine seedlings ... *Donald H. Marx, S. James Rowan* 167

Summer streamflow and water level in a midlatitude forested swamp ... *Ming-ko Woo, Juan Valverde* 177

Compatible estimates of basal area and basal area growth from remeasured point samples ... *James W. Flewelling* 191

Scanning electron microscopy of shoot and root development in sweetgum callus tissue culture ... *Regina Birchem, H. E. Sommer, C. L. Brown* 206

Notes

Method of mound dating ... *Boris Zeide* 39

Rapid determination of southern pine specific gravity with a Pilodyn Tester ... *Fred W. Taylor* 59

Determinations of transmissivity of shallow aquifers on high water table forested areas by pumping tests ... *Thomas M. Williams* 124

A modified growth intercept method for predicting site index in young white pine stands ... *James H. Brown, James L. Stires* 162

Development of *Arceuthobium pusillum* on inoculated black spruce ... *F. A. Baker, D. W. French, G. W. Hudler* 203

Reviews

Mathematical bioeconomics: the optimal management of renewable resources ... *Reviewed by J. Douglas Brodie* 102

Liberian high forest trees: a systematic botanical study of the 75 most important or frequent high forest trees, with reference to numerous related species ... *Reviewed by J. V. Thirgood* 190

Announcements

Available: a computer model which simulates quadrat sampling for tree density and spacing ... *Howard B. Stauffer, Gordon D. Nigh* 31

International workshop/symposium on forest tree tissue culture ... 70

Restoration and Management Notes available in April from the University of Wisconsin-Madison Arboretum ... 101

ERRATA ... 26

Number 2, June 1981

An application of capital asset pricing to the spot market for softwood logs in Oregon ... *Robert A. Olsen, Robert H. Terpstra* 215

Relation of starch content to conifer mortality and growth loss after defoliation by the Douglas-fir tussock moth ... *Warren L. Webb* 224

Remarks on "Generalized Least Squares Estimation of Yield Functions" *by I. S. Ferguson and J. W. Leech* ... *A. W. Davis, P. W. West* 233

Comparison of fixed-radius circular plot sampling with simple random sampling ... *David O. Yandle, Harry V. Wiant, Jr.* 245

Estimating truncated tree volumes with the Behre Hyperboloid and existing total volume equations ... *Robert A. Monserud* 253

The seasonal course of respiration and photosynthesis in strobili of Scots pine ... *Sune Linder, Erik Troeng* 267

Multiplicative regression with lognormal errors ... *James W. Flewelling, L. V. Pienaar* 281

A severity model for southern pine beetle infestations ... *David D. Reed, Harold E. Burkhart, William A. Leuschner, Roy L. Hedden* 290

Tissue culture plantlets produced from *Pinus monticola* embryonic materials ... *R. L. Mott, H. V. Amerson* 299

Segregating land values from sales of forested properties under even-aged management ... *W. David Klemperer* 305

Measuring forest soil bulk density using irregular hole, paraffin clod, and air permeability ... *Richard F. Howard, Michael J. Singer* 316

Effects of three vesicular-arbuscular mycorrhizal fungi on sweetgum seedlings from nine mother trees ... *Paul P. Kormanik, William C. Bryan, Richard C. Schultz* 327

Applications of ridge regression in forestry ... *B. Bruce Bare, David W. Hann* 339

Procedures for statistical validation of stochastic simulation models ... *Marion R. Reynolds, Jr., Harold E. Burkhart, Richard F. Daniels* 349

Energy analyses of forestry practices in oak-pine forests and loblolly pine plantations ... *Jeffrey M. Klopatek, Paul G. Risser* 365

Quantity, decomposition, and nutrient dynamics of aspen litterfall in Utah ... *Dale L. Bartos, Norbert V. DeByle* 381

Land use designations affect perception of scenic beauty in forest landscapes ... *Linda M. Anderson* 392

Does the oscilloscope technique reveal the dormancy status of Douglas-fir and ponderosa pine? ... *H. R. Holbo, C. A. Askren, R. K. Hermann* 405

Response of vesicular-arbuscular endomycorrhizal sweetgum seedlings to three nitrogen fertilizers ... *R. W. Brown, R. C. Schultz, P. P. Kormanik* 413

Notes

Seasonal change in foliar nitrogen concentration of *Alnus glutinosa* ... *Jeffrey O. Dawson, David T. Funk* 239

Outplanting survival and growth of ponderosa pine seedlings inoculated with *Pisolithus tinctorius* in South Dakota ... *Norman W. Baer, Jack D. Otta* 277

Occluded resin canals associated with egg cavities made by shoot infesting *Pissodes* ... *David Overhulser, R. I. Gara* 297

Semiautomated recording of wood cell dimensions ... *J. T. Quirk* 336

Variation in seed yield of white oak ... *R. E. Farmer, Jr.* 377

Shortening the grass stage of longleaf pine with plant growth regulators ... *S. V. Kussuth* 400

Reviews

Renewable resources: a systematic approach ... *Reviewed by Jeffrey C. Stier* 214

Cone and seed insects of North American conifers ... *Reviewed by Russel G. Mitchell* 244

Progress in botany [Fortschritte der Botanik] ... *Reviewed by W. K. Ferrell* 252

Methods of studying root systems ... *Reviewed by R. K. Hermann* 266

The rain forests of Golfo Dulce ... *Reviewed by W. K. Ferrell* 304

Forest hydrology ... *Reviewed by Kenneth N. Brooks* 390

Announcement

Foundations of forest ecosystems: lecture notes available ... 232

Manuscript reviewers, 1980 ... 323

Number 3, September 1981

Shoot and needle growth in *Pinus sylvestris* as related to temperature in Northern Fennoscandia ... *Olavi Junttila, Ola M. Heide* 423

Relationships of Douglas-fir tussock moth defoliation to site and stand characteristics in northern Idaho ... *Karel J. Stoszek, Peter G. Mika, James A. Moore, Harold L. Osborne* 431

Annual variations in soluble sugars, starch, and total food resources in *Eucalyptus obliqua* roots ... *G. A. Kile* 449

Factors related to incidence of Hypoxylon cankers in aspen and survival of cankered trees ... *Gerald W. Anderson, Margaret P. Martin* 461

The relationship of leaf area and foliage biomass to sapwood conducting area in four subalpine forest tree species ... *Merrill R. Kaufmann, Charles A. Troendle* 477

Slash pine growth and response to fertilizer after application of pesticides to the planting site ... *G. W. Bengtson, G. C. Smart, Jr.* 487

Nutrient translocation in the outer canopy and understory of an eastern deciduous forest ... *R. J. Luxmoore, T. Grizzard, R. H. Strand* 505

A comprehensive examination of economic harvest optimization simulation methods ... *James S. Schmidt, Philip L. Tedder* 523

Xylem ethylene production in five black walnut families in the early stages of heartwood formation ... *Neil D. Nelson, W. J. Rietveld, J. G. Isebrands* 537

Initial growth of Fraser fir seedlings at different day/night temperatures ... *L. Eric Hinesley* 545

A method for designing cost-effective wilderness allocation alternatives ... *Dennis E. Teeguarden* 551

Ensuring an adequate sample at each location in point sampling ... *Hans T. Schreuder, David S. Schreiner, Timothy A. Max* 567

An improved technique to evaluate climate–southern pine beetle relationships ... *Laurence S. Kalkstein* 579

Site quality and growth of pinyon-juniper stands in Nevada ... *Richard O. Meeuwig, Stephen V. Cooper* 593

Simulation of diameter growth and mortality in regrowth eucalypt forest of southern Tasmania ... *P. W. West* 603

Growth, ectomycorrhizal development, and root soluble carbohydrates of black oak seedlings fertilized by two methods ... *R. K. Dixon, H. E. Garrett, J. A. Bixby, G. S. Cox, J. G. Tompson* 617

Notes

Organic reserves: importance to ectomycorrhizae in forest soils of western Montana ... *A. E. Harvey, M. F. Jurgensen, and M. J. Larsen* 442

Seed dormancy of red maple in east Tennessee ... *Robert E. Farmer, Jr., and Maureen Cunningham* 446

Implications of goal programming in forest resource allocation: some comments ... *Robert J. Hrubes and Giuseppe Rensi* 454

An aspect transformation with regard to elevation for site productivity models ... *Joseph P. Roise and David R. Betters* 483

Compartmentalization of discolored and decayed wood in red maple branch stubs ... *Derek J. Green, Walter C. Shortle, and Alex L. Shigo* 519

A micrometer for continuous measurements of shoot elongation ... *H. Richard Holbo and Joe B. Zaerr* 574

Reviews

Tropical forest ecosystems: a state-of-knowledge report ... *Reviewed by P. B. Tomlinson* 422

Progress in biomass conversion, volume 2 ... *Reviewed by Jerry Zavitkovski* 460

Manual of data collection and processing for the development of forest biomass relationships ... *Reviewed by Jerry Zavitkovski* 476

Forest soils and land use ... *Reviewed by Prof. Dr. K. E. Rehfuess* 502

Responses of plants to environmental stresses. 2nd edition. volume 1. Chilling, freezing, and high temperature stresses ... *Reviewed by Christiaan Glerum* 543

Forest soils: properties and processes ... *Reviewed by R. K. Hermann* 592

Wildlife habitats in managed forests: the Blue Mountains of Oregon and Washington ... *Reviewed by R. J. Gutiérrez* 602

Comment by Harry T. Valentine on "Stand and site conditions related to southern pine beetle susceptibility" ... 504

Reply to remarks by A. W. Davis and P. W. West on "Generalized least squares estimation of yield functions" ... *I. S. Ferguson and J. W. Leech* 589

Announcements

National Forest Taxation Symposium. February 9–11, 1982 ... 566

Proceedings of the 15th North American Quantitative Genetics Group Workshop available ... 601

Number 4, December 1981

Photosynthesis, xylem pressure potential, and leaf conductance of three montane chaparral species in California ---- *S. G. Conard, S. R. Radosevich* 627

Photosynthesis and photorespiration in Douglas-fir as influenced by irradiance, CO_2 concentration, and temperature ---- *Douglas C. Doehlert, Richard B. Walker* 641

Distribution of net litter inputs with respect to slope position and wind direction ---- *M. L. Welbourn, E. L. Stone, J. P. Lassoie* 651

Root penetration of Douglas-fir seedlings into compacted soil ---- *Paul Heilman* 660

Bulk densities of nonuniform surface fuels and their application to fire modeling ---- *James K. Brown* 667

A simulation approach for predicting the effect of Douglas-fir tussock moth defoliation on juvenile tree growth and stand dynamics ---- *James A. Moore, Charles R. Hatch* 685

Population structure of forests over a large area ---- *D. C. West, H. H. Shugart, Jr., J. W. Ranney* 701

Consistent height-growth and growth-rate estimates for remeasured plots ---- *David Bruce* 711

Optimum allocation in stratified sampling of forest populations on successive occasions ---- *D. J. Kilpatrick* 730

Determination of the optimal growing stock and cutting cycle for an uneven-aged stand ---- *Sun Joseph Chang* 739

Simulating cable thinning in young-growth stands ---- *Chris B. LeDoux, David A. Butler* 745

Genetic interaction of *Cronartium ribicola* and *Ribes hudsonianum* var. *petiolare* ---- *G. I. McDonald, D. S. Andrews* 758

An electronic caliper with automatic data storage ---- *Bengt Jonsson* 765

Regeneration of mamane: effects of seedcoat treatment and sowing depth ---- *Paul G. Scowcroft* 771

Nitrogen mineralization and nitrification potentials following clearcutting in the Hoosier National Forest, Indiana ---- *Pamela A. Matson, Peter M. Vitousek* 781

Effects of sludge disposal on drainage solutions of two forest soils ---- *H. Riekerk* 792

Regional specific gravity values for plantation grown loblolly pine in the southeastern United States ---- *John T. Talbert, J. B. Jett* 801

Root length in young hybrid *Populus* plantations: its implication for border width of research plots ---- *Edward A. Hansen* 808

Automatic determination of conductance, transpiration, and environmental conditions in forest trees ---- *Merrill R. Kaufmann* 817

Role of apophysis and outer scale tissue in pine cone opening ---- *Susan V. Kossuth, R. Hilton Biggs* 828

Patterns of southern pine beetle (*Dendroctonus frontalis* Zimm.) infestation enlargement ---- *T. D. Schowalter, D. N. Pope, R. N. Coulson, W. S. Fargo* 837

Notes

Vertical root distribution of American basswood in sanitary landfill soil ---- *Edward F. Gilman, Ida A. Leone, Franklin B. Flower* 725

Pocket calculator program for the one-shot method of tree height measurement on permanent plots ---- *Robert L. Neal, Jr.* 815

Reviews

Adaptation of plants to water and high temperature stress ---- *Reviewed by Merrill R. Kaufmann* 640

Survey methods for ecosystem management ---- *Reviewed by Richard S. Driscoll* 757

Control of shoot growth in trees ---- *Reviewed by David A. Rook* 779

Comments by J. Harry G. Smith on "Yields of minirotation closely spaced hardwoods in temperate regions: review and appraisal" ---- 684

Reply to Vernon L. Robinson's comment on "A technique for estimating timber value based on tree size, management variables, and market conditions" ---- *David H. Jackson and Alan G. McQuillan* 763

Announcements

Research proposals invited ---- 710

Hardwood Regeneration Conference. March 2–3, 1982, Winona, Minnesota ---- 770

Central Hardwood Forest Conference issues a call for papers 800
Travel grant for U.S. scientists proposed to National Science Foundation 814
Southwide pine seed source study—data set available 827
Call for papers: 7th North American Forest Biology Workshop, July 26–28, 1982, University of Kentucky, Lexington, Kentucky USA 836
Key-word index 850
Author index 865